CIHM Microfiche Series (Monographs)

ICMH Collection de microfiches (monographies)



Canadian institute for Historicai Microreproductions / institut canadien de microreproductions historiques




Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below. L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont Indiqués cl-dessous.

| • | | | Ccloured pages / Pages de couleur |
|-------------------------|---|---------------|--|
| $\overline{\mathbf{N}}$ | Coloured covers / | | Coloured pages / Pages de Colleur |
| | Couverture de couleur | | Pages damaged / Pages endommagées |
| | Covers damaged / | ل | |
| | Couverture endommagée | | Pages restored and/or laminated / |
| | | | Pages restaurées et/ou pelliculées |
| | Covers restored and/or laminated / | | |
| | Couverture restaurée et/ou pelliculée | | Pages discoloured, stained or foxe (|
| _ | | | Pages décolorées, tachetées ou pinu feu |
| | Cover title missing / Le titre de couverture mar | que 🗖 | n |
| F | | | Pages detached / Pages détachée a |
| | Coloured maps / Cartes géographiques en cou | | Obsudhaush / Transport |
| | | | Showthrough / Transparence |
| | Coloured Ink (I.e. other than blue or black) / | | Quality of print varies / |
| | Encre de couleur (i.e. autre que bieue ou noire | | Qualité Inégale de l'impression |
| | | <u>ن</u> | Qualite inegale de l'impression |
| $\boldsymbol{\Lambda}$ | Coloured plates and/or illustrations / Planches et/ou illustrations en couleur | | Includes supplementary material / |
| | Planches evou mustrations en couleur | | Comprend du matériel supplémentaire |
| | Bound with other material / | | Complete de malener sepplementaire |
| | Relié avec d'autres documents | | Pages wholly or partially obscured by errata slips, |
| | Helle avec o autres occurrents | | tissues, etc., have been refilmed to ensure the best |
| | Only edition available / | | possible Image / Les pages totalement ou |
| | Seule édition disponible | | partiellement obscurcies par un feuillet d'errata, une |
| | | | pelure, etc., ont été filmées à nouveau de façon à |
| | Tight blnding may cause shadows or distortion a | ong | obtenir la meilleure image possible. |
| | Interior margin / La reliure serrée peut cause | de | |
| | l'ombre ou de la distorsion le long de la ma | rge | Opposing pages with varying colouration or |
| | intérieure. | | discolourations are filmed twice to ensure the best |
| | | | possible image / Les pages s'opposant ayant des |
| | Blank leaves added during restorations may app | ear | colorations variables ou des décolorations sont |
| | within the text. Whenever possible, these have b | een | filmées deux fois afin d'obtenir la meilleure image |
| | omitted from filming / II se peut que certaines pa | ges | possible. |
| | blanches ajoutées lors d'une restaura | | |
| | apparaissent dans le texte, mais, iorsque cela | ian | |
| | possible, ces pages n'ont pas été filmées. | | |
| | Additional comments / Paginatic | n is as follo | ows: p. [145]-215. |
| \mathbf{V} | Commentaires supplémentaires: La pagina | tion est com | me suit: p. [145]-215. |
| | | | |

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué ci-dessous.



The copy filmed here has been reproduced thanks to the generosity of:


Thomas Fisher Rare Book Library, University of Toronto Library

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last pege with a printed or lilustrated impression, or the back cover when appropriate. Ail other original copies are filmed beginning on the. first pega with a printed or lilustrated impression, and ending on the last page with e printed or lilustrated impression.

The lest recorded frame on each microfiche shall contain the symbol \longrightarrow (meaning "CON-TINUED"), or the symbol ∇ (meaning "END"), whichever explicit.

Maps, pletes, charts, etc., may be filmed at different reduction retios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hend corner, left to right and top to bottom, as meny frames as required. The following diagrams illustrate the method:



L'exempiaire filmé fut reproduit grâce à la générosité de:


Thomas Fisher Rara Book Library, University of Toronto Library

Les Images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de le netteté de l'exemplaire filmé, et en conformité evec les conditions du contrat de filmage.

Les exempleires originaux dont la converture en pepler est imprimée sont filmés en commençant per le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustretion, soit par le second plet, seion le ces. Tous les autres exemplaires origineux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles sulvants apparaître sur le dernière imege de chaque microfiche, selon le cas: ie symbole —> signifie "A SUIVRE", le symbole V signifie "FIN".

Les certes, plenches, tableeux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'engie supérieur geuche, de gauche à droite, et de heut en bas, en prenûnt le nombre d'Images nécessaire. Les diagrammes sulvants Illustrent la méthode.



| 1 | 2 | 3 |
|---|---|---|
| 4 | 5 | 6 |



REPRINTED FROM THE JOURNAL OF THE ROYAL ASTRONOMI-CAL SOCIETY OF CANADA, MAY - JUNE, 1913.

With the Compliments of the Writer


AN EXTRAORDINARY METEORIC DISPLAY

BY

C. A. CHANT. UNIVERSITY OF TORONTO.

> токонто : 1913

r



Journal of the Royal Astronomical Society of Canada, 1913

11.51 -11

AN EXTRAORDINARY METEORIC DISPLAY

By C. A. CHANI

ON the evening of Sunday, February 9, 1913, the inhabitants of an extended portion of the United States and Canada witnessed a meteoric display which, as far as 1 can learn, is quite without a parallel. It was not my god 1 fortune to be an eye-witness of the phenomenon, but when, a few minutes after it had passed, telephone messages were received describing it. I realised that there had been a very exceptional occurrence. Yet it was only on the following day, after interviewing various observers and reading the reports in the newspapers, that the truly extraordinary nature of the display was recognised.

I then decided to investigate the matter. In response to a request for reports of observations, courteously published in the daily newspapers of Toronto and repeated in some of the papers in others places, many letters and verbal communications were received. By reading the vivid descriptions and examining the illustrative sketches supplied by my correspondents, I have been enabled, in imagination, to view the wonderful spectacle again and again. The information supplied has also permitted me to

C. .1. Chant

trace the path of the meteors with considerable accuracy and to determine various other facts connected with their flight.

My inquiries also revealed the fact that during a few hours before and after the great display several other striking meteors were observed, though I have not a complete enough record of the fireballs to enable me to compute their paths.

I propose to give, first, a brief general account of the display and then a statement of the conclusions I have reached regarding the path of the meteors, their height above the earth, their speed, the sounds heard, the duration of the display and the size of the bodies. After this I shall refer to other meteors seen within a few hom. of the main display, and at the end I shall add extended extracts from many communications sent in. The reports regarding the great display, which extended from Saskatchewan to Bermuda, are printed first, the places from which they were recieved being arranged in alphabetical order; those referring to the other meteors appear together at the end. Along with the reports are reproductions of sketches sent with the letters. These were for the most part hastily drawn by people who have no particular talent for drawing, but they well illustrate what the text describes and are printed without any attempt to turn them into works of art.

The reader will be interested in examining these extracts from the letters. He will also see that intelligent people can differ widely in describing a phenomenon, and will be able to appreciate the difficulty I have had in discriminating between very discordant observations.

The numerous communications which I have received regarding this peculiar natural phenomenon have afforded me much pleasure, especially those sent by the boys and girls; and the readiness to respond to my requests for further information has been very gratifying.

GENERAL DESCRIPTION

[AS SEEN IN WESTERN ONTARIO]

At about 9.05 on the evening in question there suddenly appeared in the northwestern sky a fiery red body which quickly

An Extra rdinary Meteorie Desplay

grew larger as i. c_{me} arer, and which was then seen to be followed by a long to . Some observers state that the body was single, some that it was composed of two distinct parts and others that there were three parts, all travelling together and each followed by a long tail.

The front portion of the body appears to have been somewhat brighter than the rest, but the general color was a fiery red or golden yellow. To some the tail seemed like the glue from the open door of a furnace in which is a fierce fire; to others, it was like the illumination from a search light; to others, like the stream of sparks blown away — u a burning chimney by strong wind.

The first suggestion which occur ed to many who saw the body was that someone had set off a grant sky-rocket. In the streaming of the tail behind, as well as the color, both of the head and the tail, it resemble a rocket; out, mulike the rocket, the bod, showed no indication of dropping to the earth. On the contrary it moved forward on a perfectly horizontal path with peculiar, majestic, dignified deliberation; and continuing in its course, without the least apparent sinking towards the earth, it moved on to the sonth-west where it simply disappeared in the distance.

As we all know, most shooting stars are visible for but a very short time, and the brilliant ones very generally descend rapidly towards the earth, seemingly (as one of my correspondents remarked) "in a mighty hurry to + ach their destination": but here were bodies moving leisurely along, giving ample time for the fortunate observer to make *secretal* wishes if he were so inclined. Some report that just before disappearing this body burst, leaving behind it a trail of stars.

Before the astonishment aroused by this first meteor had subsided, other bodies were seen coming from the north-west, emerging from precisely the same place as the first one. Onward they moved, at the same deliberate pace, in twos or threes or fours, with tails streaming behind, though not so long nor so bright as in the first case. They all traversed the

same path and were headed for the same point in the south-eastern sky.

Gradually the bodies became smaller, until the last ones were but red sparks, some of which were snuffed out before they reached their destination. Several report that near the middle of the great procession was a fine large star without a tail, and that a similar body brought up the rear.

To most observers the outstanding feature of the phenomenon was the slow, majestic motion of the bodies; and almost equally remarkable was the perfect formation which they retained. Many compared them to a fleet of airships, with lights on either side and forward and aft; but airmen will have to practice many years before they will be able to preserve such perfect order. Others, again, likened them to great battleships, attended by cruisers and destroyers. Should these bodies strike the earth they might prove destroyers indeed ! Still others thought they resembled a brilliantly lighted passenger train, travelling in sections and seen from a distance of several miles. The flight of the meteors has also been compared to that of a flock of wild geese; to a number of men or horses in a race, and to a school of fish, startled and darting off in a single direction. These and many others interesting details will be found in the reports of observations printed below.

Just as the bodies were vanishing, or shortly afterwards, there was heard in many places a distinct rumbling sound, like distant thunder or like a carriage passing over rough roads or over a bridge. In some cases three such sounds, following at short intervals, were heard; while a number of people felt a shaking of the earth or of the house.

As to the number of bodies there is great diversity of statement. The nsual estimate is from 15 to 20 but some say 60 or 100, while some say there were thousands. Various reasons can be assigned for the discrepancy between these numbers. Those giving the small numbers probably refer only to the chief bodies, and as some people have better eyesight than others, where one would see a single body others would see its

An Extraordinary Metecric Display

different parts. Those who report the large numbers undonbtedly included fragments of the larger bodies and also the many red stars bringing up the tear. The only person that 1 have heard of who viewed the meteors with any instrumental assist ance was Master Cecil Carley, a pupil of the Treuton High School, who used an opera glass. He says: "There were about ten groups is all and each group, as seen through the opera glass, consisted of from twenty to forty meteors."

The entire time occupied by the display cannot be determined accurately, but is given below as perhaps 3:3 minutes. This is an extraordinarily long time for such a phenomenon, but there is good evidence that it is not an exaggeration.

The stretch of country over which the display was seen is also unprecedented. In September, 1868, a fire-ball was traced from over the Black Sea to France, about 1500 miles : and on December 21, 1876, such a body first became visible in Kausas and disappeared near Niagara Falls, thus covering a distance of over 1000 miles; but in the present case persons living 2500 miles (one-tenth of the earth's circumference) apart saw the same bodies. Moreover the description furnished by observers in Bermuda, in Outario and in Saskacchewan do not materially differ.

٠

In all ages comets and meteors have excited popular interest and in some cases alarm. Their appearance, entirely manuounced, their varied and extraordinary forms, as well as their almost inexplicable motions are well-qualified to inspire terror to those nulearned in scientific matters. We are therefore not surprised to learn that some who saw this weird and nuwouted spectacle were deeply impressed. One of my Toronto corres pondents wrote: "It was a most beautiful sight. There were a number of us on the street watching them in the sky, and a remark from one of the ladies standing near me and who appeared to be in great distress, was that some dire calamity was coming to the earth. Another remark was, that they must be sould going to heaven, and so on, and a more or less serious impression was for the time being upon us all." Dr. Robett

Moore, of Fort Frances, who visited some Indian patients soon after the display states that an Indian remarked; "I am sure you will hear something. It must be the end of the world!"

THE PATH OF THE METEORS

As the meteors were observed at places a very great distance apart the *direction* of their path can be determined with considerable accuracy, though its exact location may be slightly in doubt. The place farthest west from which a report has been received was Mortlach, which is about 65 miles west of Regina, in Saskatchewan. Here they were described as travelling from west to east. At Pense, about 48 miles to the cast, they were described as moving "in the sky directly overhead, in a direction from west to east."

When seen in Ontario the meteors were described as travelling generally from north-west to south-east, and sufficient observations were reported to enable one to determine with some definiteness a point which was directly below the path in the sky. From Campbellville the report states : "They passed directly overhead, travelling from north-west to southeast." At Hespeler, they "seemed to go right over our heads, or a little to the north." At Elora they appeared as "rising straight overhead." At Guelph, on plotting the path on a plan of the city streets, they seemed to have passed slightly to the south-west of the zenith. At Waterloo the course of the first was described as " almost directly overhead, but a little to the east." As to the rest, the majority were "a little to the east of us, with a few directly overhead, none to the west." At Berlin the course was judged to be 15° to the north-east of the zenith; at Georgetown, about 30° from the zenith; and at Sheridan, about 15° to the west of the zenith. Reference to the map (Fig. 1) shows that there is considerable discrepancy between these observations. Indeed, observers at points still farther away reported the bodies as having passed overhead.

However, we should not be much surprised at this. Unless a person has some definite objects to guide him it is very

An Extraordinary Meleorie Display

difficult to judge angular distances correctly. To view a body directly overhead is extremely uncomfortable, and by most people a body is thought to be overhead when it is at a consider able distance from the zenith. Similarly, angular elevation of a body above the horizon is almost always adjudged too great. This question will be referred to again when discussing the height of the bodies above the carth.

In view of these conflicting reports it was necessary to arrive at some compromise, and the most probable path seemed to me to be a line passing almost over the city of Guelph, but a little to the south-west. The error in the location of this line may amount to three or four miles; and indeed it is well to remember that the meteoric bodies themselves were scattered over a path of perhaps this width.

The line on the earth's surface directly beneath the path of the meteors in the air, I shall call the *trace* of the meteors. This line cuts the 80th meridian in north latitude 43° 24'.

Now the observations show that the meteors were travelling practically parallel to the surface of the earth. It is true that some observers thought they detected a slightly downward tendency, but when seen a thousand miles farther on they were apparently as high, if not higher, in the air. The downward tendency, if it existed, was very slight.

It would seem that the bodies had been travelling through space, probably in an orbit about the sun, and that on coming near the earth they were promptly captured by it and caused to move about it as a satellite. It seemed reasonable, then, to consider the plane of the path as passing through the centre of the earth and hence cutting its surface in a great circle.

By means of the formulas of spherical trigonometry 1 determined the location on the surface of the earth of a great circle passing through Pense, W. Long. 104° 59', N. Lat. 50° 25', and the point in Ontario, W. Long. 80° , N. Lat. 43° 24'. In the accompanying table are given points on this circle ranging over two-thirds of the circumference of the earth.

TABLE L.

| Longitude | | Latitude | | Longitude | | R T | Latitude | | | |
|-----------|--------|----------|----------|-----------|----|--------|----------|----------|----------|----|
| 104° | 59' W. | 504 | 25' N. | 500 | | w. | | 210 | 53' | N. |
| 100 | 00 | 42 | 34 28 | 35 | 00 | | | 4 | -29 | N. |
| 05 | 00 | 48 | | 20 | 00 | W. | | 14 | 2 | S. |
| 90 | 00 | 47 | of | 0 | 00 | | | 33 | 20 | |
| 85 82 | 00 | 45 | 23 | 20 | 00 | E. | | 44 | -36 | |
| | 00 | 44 | 15 | 40 | 00 | | | 50 | ័ត | |
| 81 | 00 | 43 | 50 | 60 | 00 | | | 51 | 34 | |
| 80 | 00 | 43 | 24 | 80 | 00 | | 1 | 49 | | |
| 79 | 00 | 42 | 57 | 100 | 00 | | | 43 | 34 24 | |
| 75 | 00 | 41 | 00 | 120 | 00 | | 1 | 43 31 | | |
| 65 | 00 | 34 | 53 | 140 | 00 | E. | •1 | 10 | 38 | S. |

TRACE ON THE EARTH OF THE PATH OF THE METEORS

The first entry in the table is Pense, and the seventh is the determined point in Ontario; the succeeding points are on this line extended.

At Watchung, N. J., 22 miles west of New York City, an observer reported that the meteors appeared to be overhead. The line drawn as described passes a little to the south of this place. The meteors were also seen by observers in the Bermuda Islands (W. Long., 64° 50', N. Lat. 32° 15') and the calculated line runs 131 miles to the north-east. The display was seen at North Bay, Ont., 186 miles, and at Winchester, Ont., 221 miles, from its trace on the earth. It must be remembered, however, that Pense and the Ontario point, which we took to fix our line, may be a few miles north or south of the true path, and so the true trace might come somewhat (perhaps 10 miles) nearer to or farther from Bermuda.

The angles made with the east-and-west line by this line are :- at Pense, $12^{\circ} 49'$; at the determined Outario point, 31° 14'; and when passing the Bermudas, $40^{\circ} 46'$.

From Mortlach, Sask., to Bermuda, the extreme points at which the bodies were seen, the distance is 2437 miles; from the determined Ontario point to Bermuda is 1184 miles. In figure 2 is shown the path from Mortlach to Bermuda.

An Extraordinary Meteoric Display

As the observed path of the meteors was so extraordinarily long I thought it interesting to examine the position beyond Bermuda of the great circle over which they were believed to have passed. I found that it went over the Sonth Atlantic Ocean, around the Cape of Good Hope at a distance of about 600 miles from it, through the Indian Ocean, and that the first land to be reached was Western Australia. Of course one cannot say that the bodies ever arrived there, though I would not be surprised to learn that they did. No reports of observations of the phenomenon by mariners have come to my notice.

THE HEIGHT OF THE BODIES ABOVE THE EARTH

Having determined the trace on the earth's surface of the path of the meteors, their height can be easily deduced if their angle of elevation at any place is known. Many estimates of this angle were communicated to me, but as a large portion of them were made without reference to any object whose elevation could be measured, these have not been of great assistance in fixing the height. A few, however, allow the deduction of definite results and, as we shall see, many of the others when interpreted properly corroborate these results.

In Toronto Mr. Gustave Hahn, to whom I am indebted for the sketch from which Plate 1N. has been made, observed the bodies to pass about midway between Rigel and the Belt of Orion; and Rev. F. Herman, of Caledon East, in his report sketched the Belt and the sword and stated: "The meteors went over, or nearly over, the face of this group." Now a line joining Toronto and Caledon East, (see Fig. 1) is almost parallel to the path of the meteors and these places are only about $27\frac{12}{2}$ miles apart. Hence at the two places the bodies would appear to take very nearly the same course in the sky.

Now at 9.05 p.m. E.S.T., February 9, in Toronto a point midway between Rigel and the Belt had an elevation of about 40° and azimuth 16° west of south. Taking the path of the bodies to make an angle of 31° with the east-and-west line we

find that if θ is the elevation of the bodies when nearest to us, that is as seen in a direction at right angles to their path,

$$\tan \theta = \tan 40^\circ / \cos 15^\circ,$$

= tau 41°.

That is, the elevation was 41°.

Then, \cdot easuring on the map* (see Fig 1) the distance of Toronto from the trace of the meteors, we find it to be 30 miles; and if h is the height of the meteors, we have,

$$h = 30 \tan 41^{\circ},$$

= 26.1 miles.

As I have already remarked, the distance to the trace of the meteors may be in error 3 or 4 miles, and so the height is also doubtful almost to this amount.

The elevation from Mr. Herman's observations is about 43° , and his distance from the trace is $28\frac{1}{2}$ miles; from which the height comes out to be 26.5 miles.

Rev. Dr. Marsh, at Springville, observed the meteors to pass mainly behind the top of a telephone pole, though he states that some were slightly above, some slightly below. Afterwards he found the top of the pole to have an elevation of 14° 58' above the eye, and the line joining the observer to the pole made an angle of 49° with the north-and-south line.

Hence
$$\tan \theta = \tan 14^{\circ} 58' / \cos 17^{\circ} 46'$$
,
= $\tan 15^{\circ} 41'$.

That is, the elevation of the meteors at the highest part of their path was 15° 41'. The distance of Springville from their trace on the earth is 91 miles, from which we have

Height = $91 \times \tan 15^{\circ} 41'$, = 25.5 miles.

This agrees very well with the results just obtained.

The writer was much interested in the observations made by Mr. E. A. Norman, of Mill Bridge, (Hastings County).

* Measurements were made on a map of Ontario on a scale of 30 miles to the inch, not on the map from which this cut was obtained.

An Extraordinary Meteric Display

175

Mr. Norman was standing at the south-east corner of his barn when the meteors appeared at the south-east corner, seen ingly just below the cave. A simple measurement of the height of the cave above the eye and the length of the barn gave the elevat u of the meteors as 22° , as seen in the west. This leads to a height of 103 miles, an impossible result. At the writer's request Mr. Norman verified his measurements, and the only conclusion is that he was mistaken in thinking them up to the eave, although his statement that the first thought which came to him was that his barn was on fire at the cave t_{γ} evidence to the contrary.

Mr. James G. MacMillan, B.A.Sc., of Toronto, estimated the elevation to be 30°, and afterwards verified it with a clinometer. This leads to a height of 47.4 miles, a result evidently too small. Mr. MacMillan explains, however, that he could not recover the precise position in which he stood when viewing the display, that he may have been 30 or 40 feet from it, which would explain the lowness of the result.

Mr. H. G. Murray, a student in mathematics at the University, when reporting to the writer first gave the elevation as 55° , but on a closer examination shortly –fter, he stated that he was confident it was not over 45° . This gives a height of 30 miles.

Again, when Mr. John Clark, of Moore Park, Toronto, was recounting to the writer all the circumstances of the display, he indicated the elevation above the south-west horizon, which was about 40° . This gives a height of $25^{\circ}2$ miles.

In Table II, are given the values of the height which I have deduced. The first three are the best determinations, and the average of these is 26:0 miles. In the last four cases the elevation appears to have been estimated with care, and the heights deduced are not greatly above the accepted value of 26 miles.

ТАВЫ: И.

BEIGHT OF THE METEORS

| Place | Observer | Elevation | Distance to Trace | Height |
|---|--------------------------------------|---|--|---|
| | Best De | eterm nation | 15 | |
| Poronto Caledon East Springville | Hahn Herman Marsh | 419 43 152 41 | 30 mi. 28 <u>1</u> " 91 " Average | 26°1 m ¹ , 26°5 ¹⁴ 25°5 ⁴⁶ 26°0 mi. |
| | Other D | eterminatio | | 20 0 111. |
| foronto foronto feorgetown fdgar | Murray Clark McKay Jamieson | 45 ^{°°} 40 60 22 <u>4</u> | 30 nn. 30 ** 17 ** 72 ** | 30°0 III% 25°2 ** 29°4 ** 29°8 ** |
| | | | | |

As already remarked, the elevation above the horizon is almost invariably estimated too high. Robert Smith, in his "Compleat Optics," published in 1738, explains why this is so. To ordinary observation the sky does not appear to be a complete hemisphere but only a portion of one, the part overhead seening to be nearer than that at the horizon. From experiment Smith showed that the arc of the sky appears to be shaped as in Figure 3, in which OZ the vertical height of the zenith is $\frac{4}{10}$ of OB the




FIG. 3. The curve AZB represents approximately the apparent shape of the sky. 3 The distance from O the observer to Z the zenith is 3 to of the distance from O to the horizon B.

distance of the horizon. Further he states, "By the eye we estimate the distance between any two objects in the heavens by the quantity of sky which appears to lie between them; as upon earth we estimate it by the quantity of ground which lies between them." Hence any point C will appear half-way between horizon and zenith when the arcs BC, CZ are equal; but by

An Extraordinary Meleoric Display

actual measurement the angle BOC is found to be only 23. When the are BD is 24 of BZ the angle BOD is but 37%. That is, when an observer estimates the elevation of a heavenly body to be 45°, it is probably about 23°; if the estimate is 60%, the true value is about 37°.

Interpreting in this way some of the estimates sent to me I obtained the accompanying table, though the results given in it must not be considered of very high scientific value.

TABLE III.

OTHER DEDUCED HEIGHTS OF THE METEORS.

| Station | Estimated Elevation | Corrected Elevation | Distance per Frace | Deduced Height | | |
|---------------|------------------------|------------------------|-----------------------|-------------------|--|--|
| Dutton | 45~ | 23" | 78 mi. | 32 m). | | |
| Dresden | 45 | 23 | 102 ** | 42 ** | | |
| Rodney | 45 | 23 | 93 ** | \$8 | | |
| Barrie (1) | 50 | 25 | 66.11 | 31 ** | | |
| Barrie (2) | 45 | 23 | 66 ** | 27 ** | | |
| Coldwater | 45 | 23 | 80 | 35 ** | | |
| Fenelon Falls | -45 | 20 | 102 | 37 ** | | |
| Elmvale | 45 | 23 | 72 ** | 30 11 | | |
| Parry Sound | 37 | 17 | 115 " | 32 ** | | |
| | | | | | | |

In almost every case the height is too great but the results as a whole indicate the correctness of the explanation offered.

It would he very interesting to determine the heights of the meteors at the beginning and the end, as well as at the middle, of the observed flight; but the data at hand are monfficient. In Saskatchewan no observations whatever are available for the purpose. Col. W. R. Winter, from his location almost in the centre of the Berninda Islands, estimated the elevation at 35%. If they were 131 miles away, this would give a height of 92 miles. Colonel Winter estimated the angle by the hranch of a tree on the road in front of him. This height is pretty certainly too high. Even supposing the value of the angle to be corrected in the manner explained above, it would be 17%, which would give a height of 40 miles.

after leaving Ontario rather than that they fell, but evidence is not sufficient to finally determine the question.

THE SPEED OF THE METEORS

As the meteors were seen at places nearly 2500 miles apart it might be supposed that by obtaining the times when they were seen at the two extremes of this distance we could easily deduce the speed. But the entire time consumed in travelling this distance was very short, perhaps 4 or 5 minutes, and the times observed are not accurate enough to be used for this purpose. The time at which the phenomenon was seen is given as the same all along the line \rightarrow 7 o'clock (M.T.) in Saskatchewan, 9 o'clock (E.S.T.) in Ontario, and 10 o'clock (Atl. T.) in Bermuda.

In my request for information I asked for estimates of the time during which a single body was visible. These varied all the way from 6 to nearly 60 seconds, but the ordinary values are from 20 to 30 seconds. From several persons in Toronto who observed the phenomenon I obtained estimates of the angle traversed during this time, varying from 120° to 135°.

Now at Toronto an angle of 120° would be subtended by 160 miles, and an angle of 135° by 192 miles of actual path. If traversed in 30 seconds this would give speeds of 5° , and 6° , miles per second, respectively. If the time taken was 20 seconds, the speeds would be 8 and $9\frac{1}{2}$ miles per second, respectively.

The first value, $5\frac{1}{3}$ miles per second, is probably too low. A body travelling close to the earth's surface as a satellite would perform a revolution in 84 minutes, or at the rate of 5.0 miles per second. This result is obtained on the assumption that the body is travelling in a vacuum. The bodies under consideration, though moving comparatively slowly, as their reddish color attested, were travelling in the atmosphere, and would surely have been brought to earth during their observed course if their speed had been so near that of a satellite in a vacuum. But, as we have seen, all observers agree in saying that the path was practically parallel to the earth's surface. I am inclined to

An Extraordinary Meteorie Pisplay

believe that the speed with respect to the carth's surface was greater than 5 and less than 10 miles per second

Of course the velocity in space was greater. When seen the bodies were travelling largely in the direction of the eart''s orbital motion, and also with the rotational motion of the earth

THE SOUNDS HEARD AND THE DURATION OF THE DISPLAY.

On the map (Figure 1) I have indicated those places at which sounds were heard, and it will be seen that they extend to a considerable distance from the path of the meteors. Those farthest away are Edgar,* 78 miles from the actual path in one direction and Caynga, 33 miles in the other.

In some localities a shaking of the earth or of the buildings was detected. In the neighborhood of Shelburne this was especially noticeable. At Keldon Mi, Wm, Anderson "felt a slight tremor in the floor," and on going ontside heard a rumbling noise, reminding him of a slight earthquake. A man living three miles farther west was in bed at the time and was aw.kened by the sound, and fearing that his horses were wrecking the stable got up to investigate, - only to find them perfectly quiet. I have learned of several in Toronto who detected the quivering of the honse and remarked it at the time, among them being Mrs. and Miss Davis, of Poplar Plains Road. Many others heard the sounds.

In the Niagara peninsula these effects were very pronounced At Niagara-on-the-Lake the windows rattled, and at St. Davids Rev. G. Munro heard the sound and looked in vain up in the sky to see the cause of it.

The sound has been compared to low distant thunder, to a wagon passing over hard rough roads or over a bridge, to the report of small arms in a sham battle at a distance; and a lady at Ca. field likened it to the crashing together of two rails w

*Dr. Jamieson, who reported from Edgar, did not hear the sounds himself but stated that others had. Several observers in Barrie did not hear the sounds. The places next farthest from the meteors where sounds were heard are. Unionville, 51 miles, and lacks on, 49 miles.

trains at a distance. In some places three distinct rumblings were heard, separated by intervals of a few seconds, while at others only one or two were detected.

In this connection it may be interesting to state that Mr. W. F. Denning, of Bristol, England, our leading anthority on meteors, has recently expressed the opinion that many of the window shakings usually attributed to earthquake shocks are really due to the explosions of meteoric bodies high in the air. He has investigated a number of instances of this sort and has very strong evidence in favor of his view.

Knowing that sound travels at the rate of about 12 miles per minute, 1 have endeavored to compute the distance of the bodies by considering the interval between their passing and the hearing of the sound ; the results are not very satisfactory.

It is pretty well agreed that the first bodies were the largest and most active of all. Some observers state that they burst into several pieces, and that they were continually giving off sparks which went to form their tails. It would naturally be expected that the interval between the passing of these bodies and the arrival of the first sound would be the time taken by sound to travel from its path to us.

Unfortunately the times are not accurately determined. The first bodies appear to have come well into view at about 9.05 (E.S.T.). Dr. Marsh, at Springville, gives it as 9.04). Several in Toronto who consulted their watches give 9.05. An observer at Brampton gives 9.06 and one at Jarvis gives 9.08, as noted on a watch which may have been 50 seconds fast. Again, Mr. John Butterfield, of Toronto, states that on hearing the sound he immediately looked at his watch and the time was 9.12, which, he assures me, was closely accurate. From 9.05 to 9.12 is an interval of 7 minutes during which time sound would travel 84 miles, while the bodies passed within about 40 miles. Perhaps the sound heard was not produced by the first bodies.

Observers were also asked to state when the sound was heard; and some say just as the last bodies were disappearing.

An Extraordinary Meteory Display

while others say 1 minute, 2 minutes or 3 minutes after they had gone.

The estimates of the duration of the entire display also vary between wide limits. As has been stated, the beginning was in the neighborhood of 9.05, and Mr. Walter L. Haight, of Parry Sound, states that at the end of the flight he took out his watch and the time was 9.10. I have taken the average of 89 estimates which run from 1 minute to 7 minutes, and find it to be 3.3 minutes. The bodies, when nearest to Toronto, were about 40 miles away, and sound would travel this distance in about 3.3 minutes. Hence, if the first noise heard was that produced by the first bodies it should have been heard just at the close of the display.

THE SIZE OF THE BODIES.

It is interesting to consider the size of the bodies, but the observations again are very discordant and an accurate estimate is out of the question. However, there is sufficient evidence to show that they were of considerable size.

Mr. Hewitson, of Jackson, states that the head of the first body was larger than the full moon, which is about 30 m diameter. Mr. Norman, at Mill Bridge, estimates the leader to have been half the diameter of the moon, while Mr. White, of Coboconk, places the size as three-quarters of that diameter Colonel Winter, in Bermuda, state – hat the apparent diameter of the leading bodies was equal to that of the moon. Jackson was about 50 miles while the other places were all more than 100 miles away. On the other hand Mr. Barber, a Ur reisity student, states that he did not think the diameter to have been more than $t_{\rm p}$ of the moon's diameter.

Referring to this matter, Young (General Astronomy, Art 762) says :

¹⁰ As seen from a distance of many miles, the meteoric fire ball sometimes appears to have a diameter as large as the moon, which would indicate a resdiameter of several hundred feet. The great apparent size, however, is an illusion, partly due to irradiation, and partly, undoubtedly, to the fact that the infeteor itset

as surrounded by an extensive envelope of heated air and smoke which becomes 1 minous throughout. Probably no single meteor ever yet investigated was a solidmass as large as ten feet in diameter."

It may be pointed ont, however, that these meteors were not intensely white as most fire-balls are, and so the effect of irradiation would not be so prononneed. Taking the diameter, as seen from Toronto, to have been $\frac{1}{18}$ of the moon's diameter, or 2' of arc, this would give a diameter of 123 feet; while half the diameter of the moon as seen at Mill Bridge would correspond to a diameter of over 3000 feet. This latter value is probably a decided over-estimate, but I am inclined to think the largest bodies to have been at least 100 feet in diameter.


A rough approximation can also be made of the length of the tail of the largest meteor. At Centreton (see Figure 6) it appeared to be about 23° long, which would correspond to an actual length of 39 miles. Other estimates lead to an estimate of about this order, but all these values are liable to considerable error.

OTHER METEORS SEEN WITHIN A FEW HOURS OF THE GREAT DISPLAY

During the course of the present investigation the writer was greatly surprised and interested to learn that several other bright meteors were seen within a few hours of the great display. Extracts from letters received regarding these are given at the end of this account.

Mr. F. W. O. Werry, B.A., of Saranac Lake, N.Y., (W. Long. 74° 10', N. Lat. 44° 20') states that between 7.30 and 7.45, p.m. (February 9) he saw a shooting star begin about 10° higher up than Venus and move rapidly along a horizontal line (or nearly so) for about 30° towards the north. In a few minutes another meteor, starting in the same region, shot across the same part c^- he heavens, but its path was only about half as long.

5. J. G. Beatty, a student in Mathematics in the University of Toronto, living at Brampton, reports that at about 8.20 p.m., while watching Venus in the west, he saw a bright meteor









FIG. 1.- MAP SHOWING STATIONS IN ONTARIO FROM WHICH REPORTS WERE RECEIVED. When crossing the 80th Meridian the path made an angle of 31° 14' with the E. and W. Line.

TOTOTIO




.





2. - MAP SHOWING THE COURSE OF THE METRORS FROM SASKATCHEWAN TO BERMUDA, NEARLY 2500 MILES

Cana



An Extraordinary Meteoric Display

move quite slowly from north-west to south-east, apparently in about the same path as that taken by the great display 45minutes later.

Mr. George H. Brooks, a teacher, of Roblin, Ont., statesthat at 9.30 he saw a meteor in the west which seemed to travel sonth or south-west, and which was visible for fully half-a-minnte. It left a long trail behind.

Upon receiving Mr. Brooks's letter 1 first thought it referred to the great display, the time being in error by 25 minutes. But a communication from Mr. Walter Peters, the meteorological observer at Peterborough, led me to think otherwise. Mr. Peters stated that a reliable person at Peterborough had reported to him that he had observed between 9 and 10 o'clock a very bright meteor moving directly overhead from east to west. On intimating that I thought this was an isolated meteor, Mr. Peters consulted his informant, who was confident that he had seen the great display. I can hardly think so. Roblin is about 70 miles almost east of Peterborough, and I suspect that these two observations refer to the same object.

In Popular Astronomy for March, Mr. Lewis L. Mellor, of the Detroit Observatory, Ann Aibor, describes a very bright meteor which he observed at 10.15 p.m. (C.S.T.) (*i.e.* 11.15 E.S.T.) and which travelled towards the sonth-west. The object was brighter than Venus and its flight occupied 5 or 6 seconds. The body exploded violently, and the resulting flash of intense blue light illuminated the city for a fraction of a second. (For full details see below).

Another bright meteor was seen early Monday morning, and it is remarkable that it was reported by four observers from points many miles apart. Dr. J. J. Morrow, of Arthur (Wellington Co.), when returning from a sick call, was surprised to see the heavens light up for some seconds. The time he gives is about 1.15; and the light appeared to flash out of the northern sky. Mr. T. H. Banks, of Perm, (about 38 miles north-east of Arthur), saw the same meteor, the time given being 1.27 a.m. At Vittoria, (Norfolk Co., about 73 miles almost south of Arthur),

this meteor was seen by Mr. Joseph A. Montrose. The time given is 1.30 a.m. But the fullest account of it is by Mr. Geo. A. Deane, of the Circulation Department of *The Record*, Windsor, (161 miles south-west of Arthur). He had an excellent view of it and states that it was a remarkable phenomenon. The time was noted to be 1.23 a.m. Fuller details are given in Mr. Deane's letter, printed below.

For the report of Mr. Deane 1 have to thank Mr. F. P. Gavin, B.A., Principal of the Collegiate Institute, Windsor, He also furnished some observations by Mr. A. W. Brown, of Windsor, who was left as watchman at a train wreck on the C.P.R. near Bothwell. At about 9 p.m. Mr. Brown saw a bright meteor travelling from north-east to sonth-west. It was bright enough to attract the attention of one not watching for any such phenomenon. Again, at about 2.20 a.m. (Monday) he saw a series of less brilliant ones, though they were visible for a longer time. These appeared brightest about 70° or 80° above the horizon and seemed to travel right down to the earth.

In Nature for April 10 a correspondent living in the southern part of Patagonia (about 70° W. Long., 52° S. Lat.) who describes a fire-ball which visited that part of the world at about 6 a.m., Monday, February 10. As it was broad daylight it was seen only by a few, but violent sounds and vigorous shaking of windows were observed over a wide area. The direction of motion was east to west, which would correspond approximately to the direction in space taken by the great display of the evening before.

From England also comes a report of meteors about this time. In a letter to the writer, Mr. W. F. Denning states that very bright meteors were seen there on February 8, 9 and 10. He remarks that the date about February 10 is remarkable for meteoric fireballs, which sometimes have their radiant near Capella. Those seen by Mr. Brown may have been from this radiant.

In conclusion 1 shall refer to a enrious observation reported in *The Toronto Daily Star* for Monday, February 10. At about

An Extraordinary Meteoric Display

165

2 p.m. on that date some of the occupants of a tall building near the lake front saw some strange objects moving out over the lake and passing to the east. They were not seen clearly enough to determine their nature, but they did not seem to be clouds, or birds, or smoke, and it was suggested at the time that, perhaps, they were airships ernising over the city. Afterwards it was surmised that they may have been of the nature of meteors moving in much the same path as those seen the night before.

REPORTS OF OBSERVATIONS

PART I.

THE GREAT DISPLAY

In the following pages are given extracts from letters received from observers, the places from which they come being arranged in alphabetical order. In the brackets after the name of the place are given the distance in miles and the direction from Toronto, the direction being always referred to the nearest cardinal point of the compass.

Thus "Brampton, (16 miles, W. 8° N.)," means that this place is 16 miles distant and 8° north of west from Toronto.

Agincourt, 2 miles N. E. of (12 miles, N. 27 E.).

JAMES STONEHOUSI.

About 10 or 15 with tails seemed to be 1 user than the rest. At certain distances they seemed to be more clustered, the intervening spaces being filled with smaller ones, like stars, reminding one of the Milky Way, only so much brighter. There were thousands of them. Reports were heard, reminding one of a sham battle with small arms a long way off, but no explosions. They appeared first in the northwestern sky, about midway between the zenith and the horizon, and they disappeared in the same manuer in the sontheastern sky. They did not appear to drop towards the horizon, from which I would conclude they were very high. Duration, 3 or 4 minutes.

Appin (128 miles, W. 26° S.).

A correspondent reports the following statement as made to him .

A huge meteor appeared travelling from northwest by west to south-

cast, which, as it approached, was seen to be in two parts and looked like two lars of flaming material, one following the other. They were throwing out a constant stream of sparks and after they had passed they shet out balls of fire straight ahead that travelled more rapidly than the main bodies. They seemed to pass over slowly and were in sight about five minutes. Immediately after their disappearance in the southeast a ball of clear fire, that looked like a big star, passed across the sky in their wake. This ball did not have a tail or show sparks of any kind. Instead of being yellow like the meteors, it was clear like a star. No sound was heard. Others reported seeing a shower of meteors, but they were not seen by the one who gives the above account.

Appleby (23 miles, W. 37° S.).

MISS FLOY PRIEST.

About 9 o'clock or a little after as 1 was on my way home from church 1 saw a large increar fall to the earth, leaving a tail of fire as long as if alley's Comet behind it. Then, turning towards the north, 1 save a large black cloud, out of which shooting stars were coming, as it seemed, about 50, each having a line of fire in its path, and disappearing in a largeblack cloud in the south. After this there began a low runnhling sound like thunder.

Aurora (24 miles, N. 52 W.

G. A. THOMAS.

They passed almost overhead, from northwest to southeast. The first group (about 15 or .0) resembled a shower from a rocket, only they moved in a straight line. It was followed by a smaller cluster, they two or three at a time; the whole lasting about one minute. They did not lower as meteors usually do, but appeared and disappeared as if obstructed by a cloud. Did not hear any sound or see any tails.

Aylmer (100 miles, W, 36° S.),

W. E. STEWART,

The display appeared to occupy a space in the sky about 10° wide, running almost from west to east, a little to the south. The upper edge appeared to have an elevation of about 70° . The meteors seemed to move at a uniform rate. First would be a cluster containing 25 or 30; then a few straggling ones; then another cluster. The larger ones, with the exception of a few extra bright ones, had the brightness of stars of the

An Extraordinary Meteoric Display

second magnitude. A great many of these were in pairs, a short distance apart. These were again surrounded by very small meterics, some trailing out behind.

I did not hear any sound, and I would think the display lasted about two minutes. There were about 200 of the larger increasing all and the time for one meteor to traverse the course would be between 10 and 15 seconds.

The display appeared to e-me-out from the west and move out of sight in the east, just as a ratioway train would

Ayr (60 miles, W. 23 S. .

MRS A. E. SARGUANT

There were four distinct lets. As one died out another appeared in close succession. They looked like a mass of g dden sparks, tapeting oft to a point. I stored at the northeast corner of the house, and the meteors started almost directly overhead and travelled at an angle from the corn r of the house of nearly 45. As they disappeared there was a distinct report, just like thunder.

Barrie (52 miles, N. 14 W.).

N. B. JOHNSTON.

I was walking westward when a large meteor appeared about midway between horizon and zenith, travelling about south southcast, and going very slowly, that is, for a meteor. It was of a reddish color and had a long tail. When it had passed a distance south the tail broke into tour pieces, and each part appeared to take on a head and continue in the same course intil they di appeared –though not suddenly, as many in teers appear to do.

This one was followed by seven others, all of the same app arane and following each other in the same direction and apparently on the same $-\infty$. The seventh and eighth were a pair, travelle g parallel t each other. The first one was the only one that broke up $-\infty$ choiswas heard; each one was in sight 6 or 8 seconds.

JI STINE J. McBRIDE.

The path was about 50 above the horizon. Duration, about two minutes -N sound heard. The bodies were broken up and but tails 1 think there were about 15 clusters.

C. A. SHEPARD.

Duration, 3 to 5 minutes. First was a group of 6 or 7 hodes. After that they came in singles and doubles. In one instance a fracture took place, forming a couple more bright spots. They tra-elled in parallellines, apparently floating like gas balls, not appearing any lower at last than when first seen. Color, dull reddish yellow, like a burning coal. Total number, 15 or 20. No sound heard.

MRS. THOS. SIBBALD AND MISS GLADYS FIRMAN.

The course was not directly overhead, but somewhat the ards the south.

There appeared to be four groups. In the first were six stars with long streamers or tails; in the second, four stars with streamers or tails not so long or bright as in first group; in the third, two or three stars, with tails not so bright or long as in either of former groups; the fourth was merely like a large star or ball of fire, and it disappeared very quickly

Duration, 3 to 5 minutes; no sound heard,

Berlin (58 miles, W. 15 8.),

A. W. BANFIEED (a missionary from W. Africa).

The meteors travelled parallel with the earth, and disappeared before they showed any signs of falling. I should say there were 20 to 25. From where I was standing, in the open, they were all visible at one time; all I had to do was to look in the direction from which they were coming and I could see them coming in groups—of four or five at a time

The whole phenomenon lasted about two minutes, and as 1 stood waiting to see if any more would follow 1 heard a roar of thunder. 1 heard the thunder about one minute after the last metcor had passed. The bodies remained intact, but as they passed off the scene they seemed either to burn out or disappear in space. To me they seemed to have tails, and the preparationate length 1 will give in a small sketch (Fig. 4).

I was facing the cast and the meteors were in front of me at about the angle shown. (About 15) from the zenith.—C. A. C.) It may be of interest to you to know that my wife was walking west on Galley Avenue (Toronto) on that Sunday night and she saw the meteors passing in front of her, i.e., to the west of her, at about the same angle that 1 saw them east of me. According to that they must have passed directly overhead somewhere is tween Toronto and Berlin.

Birdsall 74 miles, E. 33 N.S.

M. M. Buos yri-

I should say there were more than a dozen. Three together poticularly drew my attention. They travelled slowly and beyer 1 is therposition relative to one another. The bodies 1 saw reanared induction had no trails.

Bolton (23 miles, W. 42 N.s.

JAMES IF BOUTON

When I saw the first meteor at 905 it was a hitle wort of northwest from here and travelling nearly trivial use. It took it for an aerophane with both headlights lift and as it can bearer the sparks fallang behind it made it appear still more like one. However, after a minute or a minute and a half I could see it was a meteor, and the tool sectured to cover about half the sky distance when it was passing. It wavery low, apparently just above the hills, and by this time I noticed about 12 or 15 more following it. Would guess that it was about 3 minutes from the time I saw the first and largest one nutil it got out of sight

The smaller ones were going a little more slowly, and some of them died out just as they passed over, though they were not directly ever me, but a little to the southwest. Would think it about 5 mout from the time of first notice until they were all gone.

About 2 minutes after they disappeared there was a heavy netselike a clap of fluinder at a distance. Half a dozen si ns were together and all noticed it distinctly; in fact it was too heavy to go minimized

There would be 12 or 15 passing at one time, so would think there were about 20 in the whole procession.

I have been fortimate enough to see nearly every log in to the display for the past 50 years, but never saw anything as this

R. E. Cythwrite

They appeared in the western sky, about four diffusion the way up from the horizon. As nearly as 1 can judge they lasted about one or two minutes

There were about 40 or 50 in all. The first me was the largest, the text four smaller than the first but about equal to each other, the rest hept getting smaller mult the last were mere red sparks. The largest cues had long tails of sparks, while the smaller ones had not.

The sound that was produced was a low runble which at first male, the think it was a buggy going along the read from church.

C. .1. Chant

Bracebridge (95 miles, N. 4 E.).

E. J. Kirk.

The first meteor secured to be a cluster of stars looking like a ball of fire. It came into view in the southwest, travelled close to the horizon towards the east.

A short distance behind the first cluster followed a small bunch of slightly bursting stars, which seemed to form the end of the tail or arrow; all the intermediate part appeared to be a streak of fire which partly hid from view the stars which had fallen into line and were keeping up the procession.

The first portion of the flight seemed to last nearly a minute, and this was followed by feur or five similar processions of stars at intervals of a few seconds, but the succeeding ones were less brilliant.

Duration, about 212 minutes; no sound was heard,

Bermuda (Waterville, Paget East),

COL. W. R. WINTER.

Time: 10 p.m. Position: east of my position. Mitude, roughly 35° when opposite my point of observation. (Later.—I estimated the angle by the branch of a tree on the road in front of me, and got my angle from the spot next day. I may have been out a bit.)

Direction of motion; about northwest to south-southeast.

I saw two leading bodies like large are lights in appearance, slightly violet in color; diameter, as far as the brilliance would permit of judg ment, equal to that of the moon; one lower than the other and a little in advance of it. Both were cornscating or breaking into small pieces. As these pieces separated from the parent bodies they developed trails of sparks and gas. There were about 100 of these followers. Each had a nucleus, and perceptibly dwindled away in length as they got behind, from a length of ab ant 13° near the head of the procession to small spots resembling pieces of wind-driven burning brown paper at the end. The lorger ones were slightly scimitar-shaped and of a yellowish-red appearance, the nucleus being very bright. As they shortened up the color became more red, until at the last they were quite red, with a bluish flame above-exactly as if they were burning. These latter appeared to Irift with the wind. The short ones preceding these were apparently eggshaped. They were travelling horizontally, with a slight downward tendency as a whole.

I was imable to see the sky in the direction of Ursa Major, owing

to trees. I am informed that they appeared to come out of that constellation to people eastward of me.

I estimated that the display took 2 minutes to pass a given spotlt appeared to be travelling very slowly.

I enclose a rough sketch (Fig 5) from a pencil sketch made at the time; this represents about three-fifths of the length, as I started on too large a scale. One-fifth more requires to be inserted at each arrow mark.

The trailers followed in groups divided by gaps, containing twoonly, and sometimes one. I c unted 80 before getting mixed up.

It is impossible to sketch or describe the uncauny appearance of the display.

Mr. R. Iugham, who was four miles to the westward of my position (which was in Paget, due south of Hamilton, practically in the centre of the islands) reports that he observed them from a hill in Warwick, near the lighthouse. He mentions two leaders only, and states that one burst all to pieces when well away from the land.

From the east end of the island they appeared well to the eastward and three leaders, well in advance of the two seen by me are reported by one man. No one else saw these as far as 1 can ascertain.

G. A. OUTERBRIDGE,

In a letter in "The Royal Gazette" of February 27. Mr. Outerbridge states that he saw three exceptionally large bodies throwing out a stream of sparks. "Then came two, not so bright, also emitting sparks; then a cluster of five, and then it seemed as if all the stars had made up their minds to move southerly. No sparks were thrown out by any but the first five."

Mr. Onterbridge counted upwards of 80 b dies, but another correspondent informs the present writer that some of his friends did not think there were as many.


Brampton (16 miles, W. 8° N.).

J. G. BEATTY (University Student in Mathematics)

Did not see the meteors, being in the house, but heard the noise, like thunder, loud at first and rumbling every 2 or 3 seconds. Lasted about 2 minutes.

A. G. BERRY,

Position in sky: a little west of the point overhead. Number 15 in all, one at a time, but they followed each other quickly. Duration: 3



to 4 minutes. Sounds: the first was the londest, like a horse and rug going over a bridge; the other was not so lond, and both sounds were short. They occurred last of all. The bodies were intact, and each had a tail. Each was in sight, I should think, about 15 seconds.

E. P. Cotsu.

Saw the phenomenon and heard a sound like a wagon passing overa rough road.

Brighton (87 miles, E. 18 N.,.

J. 11. MORROW.

The first was brighter than Venus, and took perhaps a minute to travel its course. It had a trail behind it about 10 long. The second and third were not so bright, but moved similarly. Think there were over a dozen bodies. The course seemed to be about 30 above the horizonand the entire duration was from $1\frac{14}{2}$ to 2 minutes.

Buttonville (14 miles, N. 8° E.).

¹ Mrs. R. B. Elliotte

A few seconds after seeing the first body, the second appeared 11 shot a stream of brilliant stars, which formed a long tail. This body was the largest of all, 1 counted 19 bodies. Two went ont before reaching the place where the others disappeared, and the other 17 were in sight at one time. No sound was heard.

Caledon East (29 miles, W. 29° N.).

REV. F. HERMAN.

Saw two main displays. The first 1 mistook for a sky-rocket, which, after going some distance, appeared to open towards me. Before it had disappeared the other was well in sight, seeming to have about the same formation, following the same course with the same speed.

The centre meteors seemed to have no tails, being about the size of large stars, and having nearly their brilliancy. There may have been a dozen or so within the "tail" of the first.

Between the two displays, and after the last one, hundreds of dullred sparks followed, giving the stars the appearance of being all in rapid motion.

A noise like a distant roll of thunder, probably lasting 4 seconds, was heard at least 4 minutes after the first display. Front the first appearance to the last of the sparks, probably 4 minutes. Each display took nearly 45 seconds to complete its course. The middle of the course, which was to the southeast, was about 40° from the zenith. The meteors went over, or nearly over, the Belt of Orion.

W. S. JONES.

Time, 9.07 or 9.08. The whole lasted about 2 minutes, and the next minute there was a noise like a short crash of thunder, and 1 imagined that the ground shook under me. About three-quarters to the end there was a big star with no tail, alone, with a few following. **Campbellford** (91 miles, E, 30° N₂).

MRS. WM. HUMBLE,

The meteors were low down in the sky, travelling towards the east 1 think 1 saw at one time about 20. There were three very distinct ones, near together, but yet clearly separate. Others followed, and some disappeared before the three distinct ones 1 speak of. Think the display lasted 2 minutes. No sound. There were tails to each one, just narrow ones.

1 J. T. VOSPER.

Gives information communicated to him by eye-witnesses. The first increar was of a bright white color, with a long and distinct tail resembling a comet. It was attended, or surrounded, by a number of smaller increars of a bright red color. Following this came a group of red increars, but nulike the first from the fact that there was no "ball" of light or comet-tail—simply a group moving in the same direction. Then came another group, resembling the second, all quite brilliant and distinct. A fourth group followed, but it was composed of three meteors; and a fifth group, of only two, yet a bright red. The groups remained about the same distance apart from first to last. Duration, about 3 minutes.

A second person says he saw one meteor disappear as if it had exploded.

Campbellville (30 miles, W, 20° S.)

í

REV. WILLIAM BURT.

They passed *directly* overhead, travelling northwest to southeast. 1 did not count them, but should say there were 50 or 60. Duration, probably 3 minutes. The only sound 1 heard was a faint whistling Eke that of bullets whilst they passed overhead. The bodies certained intact until they reached half-way to the horizon, when they simply disappeared.

The first a pearable was that of a large body, very bright, having a longfiery tail—very much like a comet.

Canfield (50 miles, S. 22° W.).

A woman fixing near Canfield heard a noise which she compared to the crashing together of two trains, or some terrific explosion in the direction of Hamilton.

Cayuga (52 miles, S. 27 W.).

T. J. CRAVEN

There were not only a dozen or fifteen increases, large and small, but I don't think I am exaggerating when I say there were hardreds. The duration was from 2 to 4 minutes, and in color they were reddilly, not like ordinary stars. Some of the large ones had long tails. After the increase had all disappeared we heard a noise like thunder, apparently north of us.

Centreton (74 miles, E. 23° N.).

John T. Ormiston.

We went to the south end of the house to get a better view, and as far in that direction as we could see there were motions. There werseven or eight ahead of the larger one shown in sketch (Fig. 6), so we had missed seeing the first. About seven passed after the large one, and we are sure we saw twelve. They were all in view at once and for the space of 2 minutes. When all had passed we looked at the clock and it said 9.15.

Coboconk (76 miles, N. 24° E.).

J. B. WHITE

I think they were in view 1^{4}_{2} or 2 minutes, and 1 counted 13 is sight at one time. I think there were 20 in all. They travelled on as exact level with the ground.

The tail kept the one size throughout its length, as if drawn through a tube. I believe when the large one was opposite me the tail was one-quarter the length of its flight; or perhaps 50 times its own length, supposing it to be a round bedy. The bill blocked about threequarters the size of the full moon.

The course of the meteors was about 20° above the horizon. They were very low, compared with an thing 1 ever saw before.




FIG. 6.—From a sketch made by Mr. J. T. Ormiston, Centreton. The woods in the foreground are about 200 yards wide and the meteors were observed from a point X, about 200 vards in front. The woods, therefore, subtended an angle of about 55° and the tail of the longest meteor shown was from 21 to 26° long.

×

Cobourg (64 miles, E. 19° N.).

J. E. SKIDMORE.

They glided along so leisurely and did not seem to be falling as meteors usually do, but kept a straight course about 45, or a little more, above the horizen. Our first impression was that a fleet of illuminated air-ships of monstrons size were passing. The meandescent fragments themselves formed what to us looked like the illuminations, while the tails seemed to make the frame of the machine.

Sometimes there would be just a single collection, forming a single ship; then in a half-minute several collections would pass, booking like ships travelling in company. It took fully 3 minutes to pass. There was no noise; only beauty, beauty!

Coldwater (71 miles, N. 7 W. ..

J. L. Shirnes.

Time, about 9.08. Bedies came out of northwest and disappeared in southeast without any perceptible fall. Position in sky, about 45 above horizon. About 20 seen in all, 8 or 10 being visible at one time. Duration of display, about 2 minutes. Brightest meteor was in sight about 45 seconds. No sound.

The largest meteor, which came first, proved to be two or three abreast, the sparks from them intermingling and forming one long tail, the whole apparently merging into one body again as it passed farther away. The first was followed by many more, going at the same speed and the same direction, but not all in the same path, some being above the line of flight of the first one while others were below. **Consecon** (98 miles, E, 15^2 N.),

CECH, CARLEY (a student of Trenton High School).

There were about ten groups in all, and each group, as seen through the opera glass, consisted of from twenty to forty smaller meteors. The leader of the group was generally the largest, the smaller ones following closely behind.

The first group had the largest number and was led by a large body which was brighter and larger than all the rest. Each separate body had a tail which was from five to fifteen times as long as the main part, which seemed to diminish and go into the tail. Some seemed to break up into smaller bodies.

Ab at three or four groups were seen at a time, the three appearing to the northwest, while the fourth was passing in the middle of its charse. Each group was in sight from 15 to 25 seconds, and the duration of the whole phenomenon was about 5 minutes. No sound was heard **Corinth** (92 miles, W, 37° S.).

WHE BEATTIE.

Time: shortly after 9 p.m. *Direction*: from the north-west to the sonth-cast, and slightly downward. *Number*: would judge 15 or more, and some may have passed before I saw them. *Size*: The first ones were larger and brighter than the brightest stars and had tails which looked as I ng as the distance between the "Pointers" of the "Dipper." The last ones were like very faint stars.

I believe some of them were visible for as long as 10 seconds, and

the whole thing lasted between 2 and 3 minutes. I did not hear any wise, but was riding in a buggy over frozen roads.

Deseronto (120 miles, E. 18 N.),

MUSS LENV J. WARREN,

The first meteor looked like a fiery streak or bar when it came int of the north-west. When it had traversed about a quarter way across the sky it broke into four fiery red stars with long fiery tails, which fell into the position shown.

After this group had gone some distance there came behind it a collection of similar stars, some with long tails, some with short tails. They moved in regular form straight across the sky, and disappeared in the south.

Dresden (159 Miles, W. 27° S.).

JNO. A. MCVEAN.

The course was about midway between the horizon and the sky in the north towards the south-east,

When I first turned to look there was one that broke into four pieces, eac., piece having a separate tail. The color was that of fire. This the seemed to be visible for nearly a minute. The four pieces seemed to keep together. There were two others that bad tails similar to these, but they remained intact throughout their course. Then seven or eight more followed, having no tails at all, and of a different color, more that of stars—a blue white.

The first four were just passing from sight when the second one (with a tail) was about midway in the sky, and the other with a tail followed at about the same distance, and then the ones without tails came very close to one another, about three times as close as the other. There were three or four of the latter in sight ac one time.

Duration, about 5 or 6 minutes. No sounds heard,

Dunnville (53 miles, S. 13° W.).

WM. H. SHARP, B.A., reports that a gentleman gave him the following particulars: The meteors passed directly overboad, were travelling due east-south-east, were about 100 in number. The lasted about three minutes, and the sound was heard just after they had disappeared.

WM. WINGFIELD.

Estimated that the metcors passed about 10 south-west of the zenith.

Dutton (127 miles, W. 32 S.).

Miss Isoun, O. HMAY, B.A., reports that before being called to see the meteors the large first lody had evidently passed. She saw a sequence of small, short, meteor-like appearances, moving in the same direction as the larger body—from north to south, perhaps slightly towards south east. When facing slightly north of east the lodies in the middle part of their course appeared to be 45° above the horizon. They moved very slowly, several being visible at a time; then there was an interval of perhaps less than a second, and about half a dozen more appeared. These were short-tailed like the others, but whereas the others had appeared more in a body—two sometimes being parallel—these trailed one behind the other (two or three being visible at once) so slowly that each was easily visible several seconds. No sound was heard. All that was seen passed in about a minute.

Edgar (57 miles, N / 8 W.),

GEORGE B. JAMILSON, M.D.

The meteors seemed to come from a point west of northwest and they disappeared nearly at the south point. They travelled in horizontal lines and all had the same leisnrely rate of motion. Their course was about $22\frac{1}{2}^{\circ}$ or 30° above the horizon. They travelled either singly or in pairs, and when in pairs one was above the other. I think I saw only two with tails, and these two were travelling in a pair. The tails were composed of other distinct meteors, gradually diminishing in size and trailing off as a flare of light at the cud.

Duration of display, probably not more than D_2 minutes, each meteor being visible 3 to 7 seconds.

I heard no noise, but a neighbor saw the display, and he says he heard a sound like thunder, and counted 14 bodies.

Elmvale (65 miles, N. 19° W.).

JOSEPH DRYSDALE.

The display lasted four or five minutes. The meteors seemed to $g \circ in$ groups of threes, with tails behind them. They seemed to be midway between the earth and the sky. [Elevation 45².] No noise was heard,

Elora (52 miles, W. 3° N.).

WM. FAIRWEATHER.

From cycwitnesses the course seemed to be right overhead. There were hundreds of them, throwing off sparks, and several exploding with a loud noise. Many persons heard the noise and thought it thundered.

Falkenburg (Musk 98 miles, N. 4° E.).

G. S. YEARSLEY.

The first meteor came out of the northwest, about as bright as the evening star. It had a tail, and after travelling across he sky, disappeared in the south-southeast. It was visible $2\frac{1}{2}$ or 3 minutes. It was followed in about 1 minute by two more, not quite so large, and travelling faster. After them came about 20 bodies like stars, some of which disappeared before reaching the horizon. I heard no noise. Night clear; temperature -14° F.

Fenelon Falls, 1 mile E. of (68 miles, N. 30° E.)

WALTER H. STEVENSON.

I counted seven bright stars surrounded by light. The cluster decupied a space about the size of the snn. A reflection followed, which was about the length of the tail of Urse Major [say 18°]. About the distance between the Pointers [say 6°] behind this appeared a bright white star, as clear, but a little smaller than Venus is now [mag. – 4]; then a few clusters reddish like the first, but not so bright, say five or six clusters. Spread out on a wider track, there might have been eight or nine clusters, but I suddenly found that the whole heavens, from the zenith to the horizon, was full of meteors. They may have extended to the cast, but there was such a wonderful display in front of me I never thought of turning. (See Fig. 7.)

The advance nucleors, the brightest, passed *slightly* nearer the horizon than the zenith [say, elevation 40°]. The duration, probably three minutes, more or less. They travelled no faster than a crow flies. There was absolute silence. The whole was wonderful, but the most wonderful was the lone star following the first cluster.

Half an hour previously (about 8.30. I had been waiting outside with my rig, and when the others came out, I *remarked* to them that there seemed to be meteors "in the air," as I had noticed flashes or point-like sparks at intervals, as from an emery-wheel, single sparks overhead, where Auriga and Perseus must have heen at that time, hut I don't think the display which followed had anything to do with them.




FIG. 7.—From a sketch made by Mr. W. H. Stevenson, Fenelon Falls. In the forepart of *A* was a cluster of bright white stars; the rear was a reddish reflection, like glare from fire. *B*, a bright white star, of the size of Venus. *C*, reddish clusters. *D*, a shower of red meteors.

Fonthill (Welland Co., 46 miles, S. 10° E.).

ARTHUR GILBEY.

I saw several flashes reflected from the snow and seeming to comfrom the north. The sky being clouded in that direction, 1 could not see distinctly, but a few moments afterward 1 heard a rumbling, short and heavy, which 1 could not account for. 1 took no notice of it mutia few seconds later 1 heard it again, and then for a third time. This was about 9.10 p.m. The rumbling was very plain.

Fort Frances (on Rainy Lake, midway between Ft. William and Winnipeg).

ROBERT MOORE, M.D.

Dr. Moore did not see the display, but on making his rounds in the Indian village near Fort Frances he obtained the following story from an Indian within 20 minutes after the phenomenon: "I saw them come slowly from the northwest; first, a string like candles, about forty of them; then, after 5 minutes, another string in the same line and about eight in number. They made the snow red quite a while after they had disappeared in the east. There was no sound, and they were lower than

the stars. They went slow. A big one led the first string. I am sure you will hear something. It must be the end of the world. It was about 9 p.m. They did not pass overhead, but north of us." (I think the time should be 8 p.m., C.S.T., and the Indian must have confused his directions. The course must have been south of the zenith—C.A.C.).

Fort William (W. end of Lake Superior).

JAS. A. UNDERHILL

From observations made by Mr. Williamson, Gen. Sce. of the Y.M.C.A., and a young man who, with a party of snowshoers, was out in the open, the following information was obtained. Duration: quite a few minutes, 5 or 6, until it stopped. Direction: from N.W. by W. to S.E. by E. Middle of path about 20° S.W. of zenith. No sound heard. Number: perhaps 50, and many of them in sight at once. "A very amazing appearance."

Fox Point (Muskoka, 117 miles, N. 6° E.).

EDWARD A. BOOTHBY.

The meteors seemed to travel about 5° cast of southeast, and the path appeared to be about 40° from the zenith.

Fullarton (91 miles, W. 8° S.).

FRED M. HAYNES.

The sky was somewhat clouded, but I saw the display coming from the north-west, but it disappeared under a cloud before half-way to the horizon. Probably the number would be from twelve to twenty, quite close together, without tails at all. Lasted not more than two or three minutes. Owing to small clouds in the sky, bodies were visible only when out from them. No noise whatever; bodies did not break up.

Georgetown (27 miles, W. 1° N.).

W. N. McKAY.

The meteors travelled a little to the west of overhead, perhaps 60° from the horizon. They seemed to rise a little to the north of north-west. The first or leading meteor broke into pieces much like a Roman candle: of the others, some went right across the sky, and some disappeared while in flight.

Mr. McKay sent a clipping from the *Acton Free Press*, which, he thinks, describes very well their appearance. It says: "The phenomenon

witnessed was an irregular procession of humans meteors as they traversed the sky (r=r) northwest to southeast. There were perhaps 15 or 20 meteors visible acre. They were brilliant, field humannis bodies, each bearing a tail after it, which disappeared in science, in i = -X few secondafter the passing of the last meteor a series of expressions were distinctly heard, resembling peaks of thunder."

Guelph (45 miles, W. 10 S.).

11. WESTORY.

Though not fortunate chough to see the display himseli, friends reported it to him at once. One gives the following: "About 20 or 30 lights appeared coming from the northwest by west, and shot across the sky, disappearing in the somtheast. After the first lot had gone, some smaller ones appeared, following in apparently the same path and also disappearing in the somtheast."

From a sketch which he was able to make, the path of the ineteors appears to have been in the direction N. 57° W, and to have passed slightly to the northeast of the zenith.

Hepworth (109 miles, W. 38° N.).

EDITOR O. M. SFIM, "Hepworth Progress,"

A cluster of brilliant meteors, somewhat resembling the fireworks of the Toronto Exhibition, passed through the sky from northwest to southeast, going at perhaps half the speed at which single meteors usually travel. This bunch of meteors was followed by innumerable stars, going in the same direction. This kept up for nearly five minutes. We would judge about 100 stars went through the air in that short time

Hespeler (50 miles, W. 18° S .

WILLIAM FOSTER

The meteor started in the northwest, and when first noticed looked like a very high sky-rocket which was still going up. It travelled very fast towards us, and seemed to go right over our heads, or a little to the north.

In the display were many stars which seemed to start off with a jerk, and left a trail of light behind them. All travelled in the same direction, but some did not follow all the way. We noticed about two dozen or more.

A noise like a low ramble of thunder was heard after the display.

The following times were made out by going over the ground egain, watch in hand. Time metcor was in view, 85 seconds; time stars were seen moving, 135 seconds; or total duration, 3 minutes 40 seconds. Time after end of display to noise of thunder, 50 seconds.

Hydro Glen (Muskoka, 85 miles, N. 2° W.)

NEM, MCLEAN,

A large meteor appeared in the northwest, at an elevation of about 20° , with a long tail. When it was due south a second one appeared, not enite as large, and a trifle lower. They did not appear to come any nearer the earth, and the fragments thrown off seemed to continue after the main body.

There was no sound, and the display lasted about 3 minutes.

Islington (11 miles, W. 15° S.).

MRS. D. D. FRANKS.

In the northwest 1 noticed a luminous streak of light, much like the flame of a common oil lamp, interspersed with what appeared to be many stars. Its length scenned about twenty times its width. It moved compactly and comparatively slowly across the sky. A few seconds later at other meteor came into view, similar to the first, but shorter. Then a third appeared, still shorter, but just as bright and beautiful as the first, and followed in the path of the others. Smaller ones appeared; these shot up the sky for a short distance and disappeared. They were paler and more rapid in motion than the larger ones.

The display lasted perhaps 3 minutes. I did not hear any report. The large meteors were the most magnificent sight 1 have ever seen.

Jarvis (65 miles, S. 36° W.)

THOS. J. HICKS, B.A.

Beginning of display, 9.08 p.m. (watch usually accurate, but may have been 50 seconds fast). The bodies followed in such rapid succession that one could not count them. They followed one another in fives; then a pause, and five more shot across the sky. I counted some 40 in a space of perhaps 24 seconds. They continued passing for about 2 minutes. No noise. Tails not noticeable, and hodies seemed to remain whole.

Jackson (103 miles, W. 38° N.).

Joun Hewitson.

It was a cold, calm, starlit night. Suddenly, from the northwestern sky there appeared what looked like an immense ball of red fire coming towards us at a tremendous rate, with a long tail streaming behind it at what seemed not a very great height from the earth, in comparison to the height of the stars. The head seemed much larger tiken the full moon, very red, and the tails extended a considerable distance behind, with pieces of the tails dropping off from the head every little while, but following on hehind in the mad race.

It passed nearly over our heads, but a litle to the somheast, and finally, instead of dipping below the horizon, it kept on its course in the sky towards the somheast at what seemed the same height from the earth, until it was lost in the distance.

We gazed afer it for some time, fairly spellbound, even after it was lost to view, and in a minute or two we saw some smaller ones coming from the same direction, one by one rushing after the big one in the same track, as if a mighty current were drawing them along These last did not seem to have any tails.

We waited around a few minutes, hut saw no more, but what seemed like heavy rolls of distant thunder sounded. We heard no noise until after the meteors had disappeared.

Keldon (54 miles, W. 35° N.).

WM. ANDERSON.

I felt a slight tremor in the floor, and shortly afterwards went outside, and after shutting the door, which faces north. I heard a rumbling noise, which reminded me of a slight earthquake shock that I once felt in Scotland. If the building had not intervened I should probably have seen the meteors passing southward.

I find that residents here heard three distinct reports at different times.

Kinmount (83 miles, N. 26° E.).

JAMES LYLE.

At times there were only 2 or 3 in sight; then there were 8 or 10; and at one time as many as 12. Duration, 5 minutes. Some two or three had tails, and others sparkled.

London (105 miles, W. 25° S.).

F. C. W. BALL and F. E. WEIR (students in Engineering, University of Toronto).

The meteors appeared at intervals of 15 to 20 seconds. Color, reddish yellow. Their path passed about 15° east of the zenith. The first bodies were single, but the last four appeared in pairs, of which the last pair were fainter than the others. No noise was heard, either during or after the display.

REV. K. J. BOWEN.

Observed the meteors from a point four miles east of London. At 9.12 p.m. I noticed a glare of light in the sky, moving slowly in a southeasterly direction. It then exploded like a sky-rocket and broke into about thirty or more meteors, each having a tail one-third to onethirticth as long as the tail of the original body. I heard no noise whatever, and this large display was visible to me for two or three minutes. It moved very slowly, and was well overhead. Had to put down the top of the buggy to get a better view.

While this large group of meteors were in view, the phenomenon developed and assumed great dimensions, for dozens of meteors came into vision. They were quite plain, but not nearly so brilliant, and had tails which seemed to be drawn after them and in the same direction as the large bunch of meteors seen first. By this time we had turned the horse and we were scanning the heavens to the northward, and suddenly a movement commenced, and I am not exaggerating when I say hundreds of tailless meteors moved slowly across the sky. These were not nearly so bright as the former ones mentioned. The impression it left upon me was the instability of the whole.

I have seen meteoric displays and phenomena in the Arctic regions and all over Western Canada, but never have I been so privileged to see so many heavenly bodies moving at one time, or any moving so slowly or in so low an altitude.

Mr. Bowen states further that his watch is usually pretty accurate and is never allowed to get more than two or three minutes fast.

Magnetawan (Parry Sound, 139 miles, N. 4° W.).

DONALD ROSS.

The meteors travelled from northwest in a direction south by east, and about 20° above the horizon. I saw about 20. Their motion

was not like that of shooting stars; much slower, four or five being seen at a time, and each being in sight about 30 seconds. The duration of the entire phenomenon would be close to 3 minutes.

They were round, with a tail to each, a fraction of a degree long; and appeared to emit sparks from each side as they sped along. About 30 seconds after the smaller ones (which were all of a ¹/₂) had passed, a much larger ball of light apeared, white like the others, and with the same and in the same direction, but without any tail. When about midway horizon to horizon it burst and sent forth a shower of sparks, much like a rocket, and for a second it brightened the sky. 1 did not hear any sound.

Marshall, Mich. (100 miles W. of Detroit).

FRED, CAVANAGH, of Oakville, sent a clipping from the Marshall *Chronicle* of February 10, 1913, containing the following: "Miss Vera Murray and Carl Schnaitman spent Sunday at Warren Clark's, in Fredonia, and when returning to the city fast evening they saw two enormous meteors, with tails many miles in length. This happened shortly after 800 o'clock, and when Miss Murray and Mr. Schnaitman reached the city they reported that they had seen an airship going east. The heavens were brilliantly illuminated, and with the passage of the meteors a shower of stones was seen to fall. The display lasted for many minutes,"

Melrose (Hastings Co., 113 miles, E. 20° N.).

II. O. LAUFEAR.

The meteors seemed to come from a point almost due west, or slightly north of west, and not far above the horizon. The first one had a short tail, which looked dull to me, and it was quickly followed by 8 or 10 others, most of which had no tails at all. Duration, probably not more than 15 to 30 seconds; all in sight at one time. The middle one apparently burst into a number of pieces, but 1 heard no sound.

Midland (77 miles, N. 16° W.).

REV. J. J. ELLIOTT, B.A.

Did not see the display himself, but from eyewitnesses he learns the following: The brightest part of the spectacle was the leading group of four or five, travelling close together, and each leaving a trail of light of considerable length. About a minute afterwards there was another

and then others, until about fifteen in all were seen. No sound was heard. The direction was from northwest to southeast. The altitude was not high, and the meteors moved at a comparatively low speed.

Midhurst (58 miles, N, 13° W.).

R. D. COUTTS.

So far as 1 remember, a large meteor was in the lead, although 1 thuck the largest of all led a group some distance behind the first. Both those and a few others had tails, although the most of them had not. Those were followed by still others, growing fewer and dimmer, the last 1 saw being scarcely visible.

They appeared to be going at the same speed, the paths being nearly level, as if unaffected by gravity, and they were travelling south by east.

Duration, about 5 minutes. Number of bodies, possibly 15 or 20 large ones, and quite as many or more small ones.

Mill Bridge (Hastings Co., 115 miles, E. 37° N.).

E. A. NORMAN.

I had just gone to feed my horse for the night, and as I opened a stable door at the southeast corner of the barn the first meteor flashed past the cave of the roof at the far end, or southwest corner of the barn. I went over this evening and took measurements. The barn is 50 feet long, and from my head to the cave of the roof is 20 feet; therefore the first meteor would be on an incline of 20 feet in 50, or 22° above the horizon.

Some of the meteors were higher and some lower. Two in particular, which travelled together, were one about three times the diameter of the moon above the other. 1 think there were about 12 or 14 in all. 1 think the leader was the largest, and was about half the diameter of the moon. They appeared to move quite slowly. They were about west when 1 first saw them, and about south when they got out of my range of vision. The new moon had set, and the large evening star was within 15 minutes of setting.

I heard no noises whatever. Sparks seemed to fly out from them, especially the leader, and smaller things like ordinary stars seemed to he durting about in their train. The leader was like a red hall of fire seen through a mist.

Milliken (12 miles, N. 17° E.).

ALEX. MACKLIN.

I had just gone out to view the heavens, as I often do en a clearnight, when my eye was attracted by a gleam of light, followed by a group of about 7 of the fire-balls. They went from north-northwest to south-southeast, and the elevation was about 50°. These were quickly followed by several very bright ones, and mimerous small ones, all following in the same plane. I should judge 15 or 20 in all, and not appearing to move swiftly as meteors generally do.

The largest of the fire-balls appeared almost white on the front, and seemed to be giving off sparks which quickly faded out, but a luminous tail was left to trace their path. They all had lot κ , tapering tails.

Duration, probably 3 or 4 minutes. Two or 3 minutes after a rumbling noise like distant thunder was heard, repeated three or fourtimes.

What struck me most was their comparative closeness, and when the sound was heard I could not but associate it with the display. All was over by 9.12, noted on an accurate clock.

Mortlach, Sask. (65 miles W. of Regina).

JNO. R. SMITH.

The time was somewhere between 7.06 and 7.15 p.m. (Mountain Time). I did not attempt to count them, but I imagine there must have been hundreds of them. They did not appear to me to be on a downward course, but on more of a straight line from west to east. I could not say how long they were visible, as I probably did not see the first of them. What impressed me more than anything else was that very few resembled shooting stars, only some of them having the tail or streamer behind them.

Mt. Charles (13 miles, W. 12° N.).

MRS. T. AIKINS.

Meteors passed directly overhead. The heads were large and hutinous, tinged with red and supplied with tails which seemed to have from four to seven glittering particles behind them, a short distance apart. The space between was bright and white-looking. They came into sight and went out of sight like a flock of birds. They lasted for 5 minutes or more, and were followed by a rumbling noise fike an explosion; and a second or two later was another not quite so loud.

Mount Forest (69 miles, W. 18° N.).

The Mount Forest *Confederate* says: A lond noise like that of thunder was heard here on Sunday evening, shortly after 9.00 o'clock. Some who were out walking at the time thought it was thunder; others thought it was ice cracking in the river; still others, that horses were kicking in a stable.

Muncey (116 miles, W. 28° S.).

JOHN STEWART.

The writer had a splendid view of the display. Position in sky, about 50° from point overhead. They were going about directly east and did not appear to be getting any nearer the earth. There were probably about 18 or 20 in all, about 6 or 7 being visible at once. Lasted about 2 minutes altogether. Heard no sound of any kind. Two had tails. About one-ha⁺⁺ remained intact; the others broke up—some more, some less. Each body remained in sight perhaps 30 or 40 seconds.

New York City.

MRS. MARGARET GRIFFITHS, of Watchung, N.J., 22 miles West of New York City.

1 was returning from church with a party of friends, and was walking northwards; and the meteors passed directly over my head. We all had to hold our heads away back to see them. There were seven distinct meteors, or balls of fire, as they appeared to us, and two of them burst just as a sky-rocket does.

Niagara-on-the-Lake (31 miles, S, 30° E.).

A correspondent writes: "As we saw nothing of the display, I can only tell yon of the sound, which was similar to the starting of a heavy wagon, and gradually dying away. There was also a slight vibration, which made the windows rattle. It lasted 2 or 3 seconds.

Oakville, 7 miles N. of (17 miles, W. 26° S.).

FRED CAVANAGH.

I distinctly heard the noise, like the rumble of thunder, coming from the north, and in a few seconds another less distinct.

Orangeville (40 miles, W. 29° N.).

MR. ALEX. STEELE, B.A., Principal of the High School, at the writer's request, made inquiries in Orangeville, and found two who saw

190

the meteors, but several who heard sounds which were pretty evidentl produced by the meteors. These were compared to the runbling caused on taking a carriage out of a stable.

Orillia (64 miles, N. 3° E.).

MISS ADELAIDE KING.

First seen in northwest about half-way between horizon and zenith. There were about 39 stars in all, divided into four groups. In the first group were about a dozen very large, bright stars, with a long tail resembling a large sky-rocket. Following this were three smaller groups (three stars in each) less bright, with no tails; and ending up were a few single stars.

Duration, about 5 minutes; largest body seen for 2 or 3 minutes. No sound.

MRS. C. E. GRANT.

I noticed a bright object suddenly appear in the western sky. It seemed at first like a shooting star, but instead of descending, or growing fainter, it appeared to move towards me and grow brighter, until it seemed to be quite close and not very high. It resembled a very large sky-rocket in brilliancy, shape and length, but instead of the bright balls at the head scattering and disappearing, the whole body retained the same form as it moved along in a stately way, going in a southeasterly direction and becoming less bright. But before this one was out of sight another one appeared from the same direction, quite as brilliant and as large as the first one, but the bright balls at the head seemed larger and not so munerous. It followed in the same direction, but had only passed when a group of three appeared, one above the other, not nearly as large or bright, with the tails rather separated. Then followed quickly another group of three, and immediately after two, then two more, then one becoming less brilliant, much smaller and more detached, more like single bright stars, moving in the same direction, keeping the same position and form until lost in the distance.

No sound was heard. Duration less than five minutes.

Painswick (48 miles, N. 15° W.).

S. BLACKMORE,

There were about 12 meteors, and I watched them about five minutes. The first five or six were quite close together the rest follow-

ing like a flock of wild geese and with about the same speed. Some left tails almost like a sky-recket, others were like moving stars. The course seemed to be about 30° above the horizon.

Parry Sound (120 miles, N. 12° W.).

WALTER L. HAIGHT.

On the evening in question I happened to be returning from a snowshoe tramp, and was in the act of tightening up the straps on my foot when my companion called ont: "Look! Look!" and I immediately three my head up and caught sight of the large meteor, which appeared to be travelling very slowly—so slowly that the stateliness of its motion excited my liveliest surprise and wonderment. I have seen many meteors while out boating and walking at night, and many larger and more brilliant than the one in question; but this was markedly different from the rest in two main features, viz., that it was not so luminons, being of a distinctly reddish color, and that it moved with unprecedented slow ness on a level plane.

As will be seen and noted on the rough sketch (Fig. 8), it moved at an elevation of from 35° to 38°, fixed by my companion and myself after going back and determining its position from our point of view.

The meteor was in two distinct portions, the head being round,



FIG. S--From a sketch by Mr. Walter L. Haight, Parry Sound. The observer is seen in the left fore-ground and the hill is shown behind which the large meteor disappeared. In the rear are shown meteors, --a group of four or possibly five; and, separated by a larger interval, another group of four or five; tollowed by a few scattered ones, bringing the number up to perhaps
14. A is the horizon, B the zenith and C is midway between A and B. The separate drawing below roughly shows the appearance of the large meteor. It is given mainly to illustrate the split between the head and the tail.

with fragments grouped about it and separated from the other portion by a short distance, and my somewhat dimmer recollection is that the rear portion was composed of globular masses, smaller and fainter than the head, and fading into a streak of dull reddish fire.

While my gaze was riveted on the large body, and just when a was about passing out of sight, my companion again called out, "Look" There and there!" and I looked up and saw the first group of following meteoric bodies, some five in number, I believe, loking like spent rocketsticks when they first begin to move downwards—like them in the dull red of their glow and the slowness of their motion. They all appeared to be moving on a level plane and grouped approximately as in sketch

Before I could recover from my astonishment, a new group of smaller ones, computed at four or five, came sailing along, followed by others more widely separated, and making a total of from teu to fourteen

Possibly the flight occupied one and a half to two minutes. They moved from about west by north to east by south. I took out my watch when the flight passed, and it was 9.10.

I likened them at the time, and the resemblance seems yet apt and appropriate, to a large battleship moving ahead with attendant squadrons of torpedo-destroyers and torpedo boats. Never have I seen bodies in the heavens move at such a slow, stately and measured pace. That remains the most outstanding and remarkable feature of a most entrancing spectacle.

'Pon my word, I don't think I would have been more surprised had they swung about and saded back into the west from which they sprung.

ASAHEL WRIGHT.

The series of lights travelled in unison and so horizontal that I could think only of a gigantic flying machine. The lights were at different points, one in front, one farther back, and a rear light, then a succession of small lights in the tail.

Pefferlaw (47 miles, N. 10° E.).

.

W. J. BOYNTON, M.D.

First, was a cluster of bodies moving rapidly to the southeast. These soon disappeared, but others followed in quick succession. They all came into sight from the northwest at about 45° from the horizon and disappeared about the same elevation in the southeast. Each body

took about 20 seconds to travel this distance, that is, half-way across the sky,

Probably 20 were visible at one time at the beginning. They were more numerous then, and became fewer at last until the last one was a considerable distance behind.

The display as a whole might be compared to an arrow, one bar ahead and many others following, and extending a considerable distance out at each side. I should judge there were between 50 and 100 bodies in all. The time of the display was close to 21/2 minutes, estimated from the distance travelled, and my rate, which I know pretty well.

The bodies themselves were like red-hot missiles or shafts flying through the air. There was no luminous stream or tail like the tail of a comet, but they were both surrounded and followed by myriads of sparks resembling the fixed stars. These extended out a considerable distance from the sides, completely filled up the spaces between the different shafts, and followed the last one for some distance.

There was no sound. The bodies passed nearly overhead— 10° or 15° to the west of the zenith.

Pense, Sask. (17 miles W. of Regina).

MESSRS. G. and B. SPRING RICE, when sending a report to the Agent of the Meteorological Service at Moose Jaw, make reference to the meteors, as follows:

I would eall your attention to a enrious phenomenon observed on the night of February 9th (Sunday). It was observed at about 7 o'clock (Mountain Time) in the evening, and I have ealled it a procession of stars. The first two stars were followed by a long tail, much like a falling star, but moved comparatively slowly in the sky, directly overhead, in a direction from west to east. These were followed by a number of other stars, sometimes singly and sometimes in groups, all of which moved across the sky at the same deliberate pace and in the same course. The procession must have lasted about two minutes, I have never seen anything like it before.

Peterborough (69 miles, E. 41° N.).

REV. W. E. HASSARD, B.A., B.D.

The appearance was like that of an express train lighted up at night. The elevation was about 25°. Movement was slow and the duration about 3 minutes. In the first section there seemed to he from six to nine lights, with slightly spreading ends. Then, in succession, some

three or four, not so brilliant sections passed. The most striking feature to me was the regular movement in an even plane. There appeared to be no curve whatever. No noise was heard. It was the grandest display I have ever seen.

Picton (114 miles, E. 42° N.).

E. M. Bigg, M.A.

A pupil of the Picton High School states that he saw the meteors nearly due west. About 20 in number and about 25 above the horizon

Port Hope (57 miles, E. 20° N.).

MRS. MARGARET KETCHUM.

We stood under a west verandah and the procession of thre-colored globular stars seemed to come from the north-northwest, sailing over to south-south-south-east. The elevation was about 40°. We thought there were at least 25 stars. All had tails of the color of thre, a dull red.

Pert Sydney (Muskoka, 105 miles, N. 2º W.).

A correspondent writes:

The first meteor resembled a kite with a remarkably long tail. They were decidedly low down and rather to the west. At least 10 or 12 bodies were seen, each one following close to the tail of the one before. Duration, not more than 5 minutes; no sound heard.

Richard's Landing (St. Joseph's I, Algoma, 287 miles, W. 40° N.).

J. H. ALLAN.

The meteors travelled from a little north of west, ending up a little south of east. When first seen their elevation was about 45, and they did not appear to pass directly overhead, but about $22\frac{1}{2}^\circ$ o the south of the zenith. In all, there must have been between 50 and 60, as many as 10 or 12 being seen at once.

Duration of display, about 2 minutes. No sound was heard. The bodies remained intact. One was considerably larger than the rest. Two or three had tails. Several remained in sight from 6 to 8 seconds. The color was that of a bright fire, not the clear white color of the average meteor.

Ridgeway (55 miles, S. 17° E.).

REV. S. A. LAIDMAN, M.A., Ph.D.

Three members of a troop of "Scouts" reported having seen the meteors. One large ball was seen first, about the size of the full moon,

C A hant

and it was followed by all at one hundred of the size of the brightest stars. These last all appeared at all a the same time, and were not widely scattered. No tails noticed, but larger one was clongated.

There was a noise like rumbling thin,der, which gradually increased an volume, then decreased again,

Rodney (139 miles, W, 32 S.).

JOHN A. CUNNINGHAM.

The meteors appeared in the northeastern part of the sy, halfway between the horizon and the point directly overhead. They travelled slowly from porthwest to sontheast. There were about thirty in all, and the largest number I saw at one time was five.

The bodies remained intact and the majority of them had tails more or less brilliant. One meteor at the close of the display was very bright and had a long tail. The phenomenon lasted three or four munites, and the i-ngest one body was in sight would be about ten seconds.

1 did not hear any sound; if there was any I think I would have heard it, for I was in the country, where all was quiet.

Rothsay (65 miles, W. 9° N.).

The correspondent from Rothsay to the Drayton Advocate:

We did not witness the neteors last Sinday night, but we heard a noise like thinder, and felt a distinct shock as if an earthquake had taken place.

Rydal Bank (Algonia, 292 miles, W. 44° N.).

Jos. E. Asam.

The first meteor at first appeared to be of the size || color of a large star, growing as it advanced. There was a tail of || esshadowy appearance, which also grew || ize and deepend || color || httle further on to the east it seemed to explode, much like || ky-rocket throwing out a dozen or more balls.

This was followed by a second meteor somework maller, traling slightly higher. Then came a group of 15 to 20 travilling to a and rather higher than the two precedulg. Then follow a grow till higher, but travelling in the same course, and after this is well a up in the same course, only still higher.

In all, I would say there were about 40. They look

An Extraor " M " Mapler

one unle such and i an α = 2.300 fr - CTr was 3 = 16° abs the horiz $\infty \! \rightarrow \! 3$

 The solid support of the sector sec

St. David 6 miles F

RIV. C. MUNRO.

i saw observe and the source of the deep tone of distant number. I was of the deep tone of distant number, I was of the deep tone of distant number. I was of distant numbe

 $1 y \rightarrow x y \rightarrow y$ the heavens all the while, but saw The time proxime 9.15, and the duration of the sound pesomewhat has had minute. Others in the neighborh d z sound has ne saw display. Some of them estimate the dur $y \rightarrow y$ of the sound as much as 2 minutes.

St Thomas 109 miles, W. 32° S.).

HARRY WILKINSON (age 12 years).

w ut fifty meteors. At first there came about three, then about then they kept on coming in large elnsers till they all passed ad sparks shooting from them, and same had tails more like con. They were travelling from northwest to southeast. They looked like "sy-rockets, only they did not fall.

Sand Hill (26 miles, W. 33° N.).

MRS. D. TIGHE.

Some had tails and some seemed to shoot a red vapor which threw a beautiful red glow. They came in bunches or groups. I counted ten in one group and I think there were 20 groups. As they disappeared in the east there was a loud report like rolling thunder, and then another sound like thunder, and a tremor of the earth.

Shelburne (49 miles, W. 37° N.).

R. A. RIKY states that a man who lives four miles east of Shelburne reported to him on Monday morning that there must have been

an earthquake the night before, that the vibration was quite perceptible, and the noise was like a series of blasts going off.

In the Shelburne *Economist* it is stated that a man living 12 miles west of the town was awakened from sleep and thought that his horses were wreeking the stable. On investigating, however, he found the horses perfectly quiet.

Sheridan (17 miles, W. 36° S.).

II. A. LEAMON,

The path of the meteors passed about 15° southwest of the zenith. As the first meteor got higher in the sky and nearer me, I saw it had an immense tail which seemed to have very bright litle sparks in it from one end to the other. Those at the head were larger than the others, but not a bit brighter. As it got nearer the ball of fire seemed to break up, and as nearly as 1 could count there were 17 more with little tails. Then again, somewhere between 50 and 100 individual sparks appeared, as if they shot off the main body when it broke, or seemed to break.

Long after the main body had passed and was fast disappearing in the southeast. I saw tiny sparks just whizz by, seemingly endeavoring to eatch up with the big fellow which had left them behind.

The whole display must have lasted 4 minutes, and just after the first disappeared in the southeast I heard a rumbling. The main body must have been in sight 2 to 21/2 minutes.

Springbrooke, 3 miles west of Brampton (19 miles, W. 7° N.).

J. P. HENSHAW,

Commencement of display, 9.05, taken on a watch correct to a few seconds. The bodies had tails. The first was the biggest, and it looked as if the others all came from it and naturally had shorter tails. There must have been at least 60 bodies. Sound was heard in the midst of the control like a rig going over a bridge.

Springville (65 miles, E. 42° N.).

REV. D. B. MARSH, F.R.A.S.

As the congregation was leaving the ehurch after the Young People's meeting, Mr. F. E. Wilson called me to the door, which faces west. I immediately saw a large red meteor, followed by others, coming from the northwest. I looked at my watch; the time was 9.04½. The forward meteor was very large and very red, with the tail several de-

grees in length. Those following were irregular in vize, some in pairs and others following lazily along the sky. The head of the large increar was eclipsed for a moment by the top of a relephone pole, so placed that the line adjoining it to the observer made an angle of 49 with the meridian. Afterwards 1 set up a transit instrument to represent my position and sighted the top of the telephone pole, which gave me an elevation of 14–58' above the horizon.

After loc ding upon the grand spectacle for (say)/2 minutes, 1 counted 10 meteors in all. (Some of the people say they counted more.) I then ran into my house ad obining the church and got out a 3-mch telescope, but the last body had vanished. Some of these meteors passed on to the southeastward out of view, while some burned out and vanished before our vision. I believe there was no noise heard by anyone. Their duration was about 3^{3}_{2} to 4 minutes.

Stouffville (23 miles, N. 16° E.).

MISS GERTRUDE KENDRICK.

The first meteor was funnel-shaped; it was small at first, but grew larger as it passed from about half-way up from the horizon in the northwest to about half-way down to the horizon in the southeast. I saw about 8 meteors, the first being the largest, and the ones following being each a little smaller than its predecessor. The bodies did not break up, and each had a tail. Duration, about 2 minutes: and the first one was in sight almost the entire time. It had just-nicely disappeared before the last one came to view.

Sturgeon Falls (186 miles, N. 6° W.).

The North Bay *Times* states that there was a mysterious visitor to Sturgeon Falls on Sunday night, when several citizens were surprised to see a slow-moving object in the air a short distance from the earth. The meteor resembled a large aeroplane or dirigible, with two tiers of lights string along the sides, and moved slowly toward Lake Nipissing.

Eudbury (Nipissing, 214 miles, N. 9° W.).

W. J. BELL

The meteors were seen close to the southern horiz w_1 and the duration was about 30 seconds. The number of meteors connected in the first place was 5, all of which exploded into parts of two w_2 six each, and all had tails. These were observed from the street, and the view to the south was somewhat obstructed by a hill, which may possibly have hidden some of the meteors.

Sunderland (45 miles, N. 23° E.).

JOSEPH PURVIS.

In the first lot there were about ten, and two of them, which were quite close together, were much larger than the rest. The whole eluster was as wide as the distance between the points of the moon on Sunday night. There was a bright red light all around them, with a more distinct light behind as they travelled along.

There were four distinct clusters. The first, of about ten; the second, of about three; the next, two; the fourth, one-this one having the size of a bright star. All visible at one time. First eluster visible to me about $1\frac{16}{2}$ to 2 minutes; it disappeared behind a building. No sound heard.

Thamesville (151 miles, W. 29° S.).

MISS CATHARINE MACVICAR DUNCAN.

The sky was not so bright as on the evening before; large areas of the sky were in misty darkness. Suddenly, right under Cassiopeia, travelling from northwest to southeast in a horizontal plane and very slowly, almost as if it were stopping or just going to dissolve in air (not drop), appeared the Head Light. It glowed now hrighter, now duller, and it looked like a parallel trail of dozens or perhaps hundreds of distinet stars or sparks, that either went out or fell behind (not down). My brother shouted to me, "An air-ship!" And I said, "Mrs. M——'s chimney is on fire." It looked that near. (This house was about 70 feet away, and obseured behind spruee trees.) The hig leader scenned to eurve a little to the south, but those that almost immediately appeared, one at a time, seemed to follow exaetly in his path. It was a flow procession, not more than three or four heing scen at one time. It reminded me of a dozen fish swimming at intervals, and one after the other.

To the eye they were little above the housetops. There might have



F16. 9. – From a sketch by Miss Catharme MacVicar Duncan, Thamesville. There were hundreds of sparks in group No. 1, dozens in No. 2, fewer in the followers. No. 5 was a big one floating along by himself. Each group was distinct and separated from the others. There might have been 12 of them, but no more. The last ones were very dim, like luminous gas.

been 12 groups of bodies, but no more. 1 am sure of 8. In the first there were hundreds of following sparks; dozens in the second, tewe: in the rest. One big body floated along by hinself after about the fourth group. Each group was distinct and separated from the others. The last ones were very dim, like hummons gas, fluttering now brighter, now dimmer. (Fig. 9.)

The phenomenon lasted three or four minutes, perhaps longer. We had to get to the south side of the street the better to see them. No sounds were heard. The big leader was in sight longest, over a minute, I should say.

TORONTO

Sydenham and Parliament Sts.

II. D. ASHLEY, of the Toronto Police Force.

The meteors were observed in company with Sergt. Lydiatt. The first meteor was by far the most brilliant of all, had the general appearance of a chain of fire-balls decreasing in size and followed by a pale beam of light not unlike that of a large searchlight.

Cecil and Bathurst Sts.

W. A. BARBER (University Student in Mathematics.)

There were 17 or 18 meteors, and the color was reddish. The course was about 60° above the horizon. All had long tails, perhaps 30° long. The head of the meteors seemed to break up. Diameter not greater than 2'. Heard sound like thunder about 1 minute after last had gone.

St. Clair Ave., near Oakwood School.

W. BETTS.

There were about as many as shown in the diagram (Fig. 10), and the display lasted from 5 to 8 minutes. The bodies remained as shown in the diagram. Any one body was in sight about 30 seconds.



FIG. 10.--From a sketch by Mr. W. Betts, Toronto. The front meteors were very brilliant and appeared to be like fireworks on the point of exploding, the heads appearing like golden balls. Those next following were less brilliant although very bright. They gradually diminished but looked like remnants of fireworks or like stars flying through space -- all at the same speed. The meteors appear d far more scattered than represented above. (See note to Fig. 5).

Parkdale.

JOHN BUTTERFIELD.

We heard a heavy runnbling noise, but the sky was clear. There was a short interval of silence, and then a runnbling and a noise like thunder. The time was observed on a watch afterwards tested and found to be correct, and was 9.12. It reminded me of an earthquake I heard in September, 1910, near Cobalt, Ont.

Bedford Rd., near Lowther Ave.

MISS BOYD.

The bodies went in regular procession, travelling quite slowly. After all the rest had gone a single one appeared. Sounds like cannon were heard as the lights disappeared, four or five rumbling sounds, very distinct, but not continuous. They were heard by Mrs. Boyd in the house.

Roxborough St., near Yonge St.

HERBERT E. BROWN.

One meteor appeared first, then another of about the same size (the first leading by a short distance), then closely following the second were six somewhat smaller ones, travelling two-by-two, and the rest came close behind these in irregular order, about fifteen in all. I tried to count them, but owing to questions from my companions and the awful majesty of it all, I lost the count. The first two broke ino many pieces and left a trail of fire in their wake. Duration of display, about

3 minutes. From the time the first one struck the atmosphere multi-itpassed out it was about a half-minute. A noise like distant thunder was heard.

Kenilworth Cres.

E. CHEFTHAM.

There were 21 meteors. The first was a very large one; then came three more, nearly as large and very bright. Then came two more, but smaller; then four and three and two, until they got like sparks in the sky. After the last meteor had passed there was a rumble like thunder, which I spoke of at the time, as the night was very cold.

Moore Park.

JOHN CLARK.

In the first group were three bodies, two abreast and the third below the others. Each of these three had a long tail. Then came a pair, and then other bodies not so bright and without tails. One of these in particular was very noticeable, having a kind of quivering motion. After this were two more bright ones, like the first pair of bright ones, and then after this a shower of sparks was seen in the northwest where the meteors had come from. These were much like sparks blown from a chinney. They did not pass over like the meteors, or if they did come they were not visible to us.

The whole lasted about 4 minutes, and the path was about 40° above the horizon. Heard no sound,

Robert St., near Russell St.

WM. R. EVANS.

In the first lot there were two, side by side. Then four or five followed singly, and then two came close together. The rest followed singly. The time between successive ones varied from 10 to 20 seconds, or not more than 3 minutes in all.

Deleware Ave., near Bloor St.

FRED M. FISHEP.

The total number I counted was 22, and the entire flight, 1 judge, occupied about 1½ minutes. At one time possibly 10 were in view. The course passed about 30° southwest of the zenith.

Broadview Ave., near Bain Ave.

CHARLES FULLER.

The meteors cance into sight right over the Swiss Cottage. (As seen from the corner of Broadview and Bain Avenues, this building is 27° N, of W.--C. A. C.)

I did not count them, but thought there were about 20, appearing like this:--

$$-3-2-6-4-2-1-1$$
.

The six in the middle formed a grand group, and they all kept regular formation all the time.

No noise was heard, and the duration of the entire display was about 4 minutes.

Gerrard St., near General Hospital.

W. 11. GREGORY (University Student).

The shower, which consisted of some 18 meteors, seemed to appear in the north, a little to the welt, and travelled across the sky to the southeast. They seemed to pass nearly overhead, about 5° from the zenith. Most of the meteors had streaming tails, and the first one broke up. The bodies travelled in groups of three, and the first were considerably brighter than the later ones.

Earlscourt, N. W. of the City.

EDWARD GURNEY.

The meteors came from a point about 5° west of Cassiopeia, and appeared to be about 45° above the western horizon.

Windermere Ave., Swansea.

MISS IDA HOWARD.

The path was about 60° above the horizon. The first group consisted of one large one leading two abreast. These were of about the same size and had tails, which appeared to be parts of the main hody, breaking off like a rocket.

These were followed by about ten others, not quite so large and with smaller tails. Then after a few seconds there appeared a great number of small bodies following in the same direction as the first. They were all of a bright red color.

Duration, from 3 to 5 minutes. After the display had passed my two companions and I all heard a sound like two rolls of thunder.

Hepbourne St. and Dovercourt Rd.

E. C. HUNT.

The first meteor was the most brilliant of all; it was like a ball of fire, with a long tail. During its flight other bodies left it and followed in its tail. Then two more followed, but not quite so brilliant; these travelled abreast. Three others followed, just behind each other, two of which had tails breaking up in the flight, the third remaining intact. These were followed by a cluster of eight, not nearly so brilliant, only one having a tail. Nine more followed, remaining intact and being very dull. Altogether 1 counted 6 with tails and 17 without, 23 in all. They all passed in 4 minutes; no sound was heard.

Yonge St., near St. Michael's Cemetery.

E. KIRBY,

There we to 15 bodies, and they appeared to be travelling from west toward. They lead the appearance of rockets, on account of the fiery tail. Duration, 2 or 3 minutes: after which there seemed to be two peals of thirder.

Balmoral Ave., near Avenue Rd.

A. T. LAING, B.A.Sc.

The bodies had streamers behind them which looked like ribbons of light, and they moved shally and uniformly, as if all were drawn along by a cord. The course was horizontal, with no apparent downward tendency.

The width of their path was about 4 or 5 and they passed about 20° southwest of the zenith. The path, from the point where they were

FIG. 11.-- From a sketch by Mr. A. T. Luing, B.A.S., Toronto. This represents about 90° of the flight.

first seen to that where they disappeared, subtended an angle to the eye of about 120° . The brightest bodies were visible about 20 seconds.

On the following Saturday, with the assistance of Prof. L. B. Stewart and a prismatic compass, an attempt was made to determine the direction of the course. By sighting on the beginning and the ending of the path it was found to be from about 26° north of west to the same distance south of east.

C. A. Chant

Don Valley, 1/4 Mile N. of Bloor St.

J. G. MACARTHUR.

There were probably 30 or 32 bodies, and the peculiar thing about them was their moving in fours, threes and twos, abreast of one another, and so perfect was the lining up you would have thought it was an aerial fleet manocuvring after rigid drilling.

About half of them had passed when an unusually large one hove in sight, fully ten times as large as the others.

Five or six would appear in two detachments, probably 5 seconds apart; then another wait of 5 or 10 seconds and another detachment would come into view. We could see each detachment for prohably 20 or 25 seconds. The display lasted about 3 minutes.

As the last detachment vanished the booming as of thunder was heard—about 5 or 6 very pronounced reports. It sounded in the valley as if some of the balls of fire had dashed into Humber Bay. The bodies vanished in the southeast, but the booming appeared to come from the west or northwest, and the time it was heard was close to 9.12 p.m.

Pape Avenue.

E. McGill.

There would be a number of the bodies in a line with a light streak between them; and the last was one large ball by itself. The display lasted fully 3 minutes. While we were gazing with awe on the brilliant display far above us in the clear sky a voice from a group of men was heard to say: "Oh, hoys, I'll tell you what it is—an aeroplane race."

It was 9.10 hy my watch. About 3 minutes later we heard three reports like thunder, which seemed to come from the west.

Indian Rd. and Geoffrey St.

JAMES G. MCMILLAN, B.A.Sc.

The path of the meteors when passing appeared to have an elevation of about 30° above the horizon.

The tail of the first and those of some of the following ones extended to a considerable length, and looked not unlike the sheaf effect produced by certain rockets, except for the differences of direction. They would subtend an angle of perhaps 5°. At the end of the display several luminous balls appeared, travelling with a somewhat wavy motion and not in so direct a line as the larger meteors. I followed one of these, and

think I counted three others, which, except for their motion, were not readily distinguished from stars of a red color.

A sound was heard by some of our party after 1 had 'off them which must have been about 1½ minutes after the last bodies had passed and nearly 4 minutes after the appearance of the first ones.

Bathurst and Dupont Sts.

CVRIL A. Moss.

There were about 15 meteors, and all had long tails except the last, which was just like a star and came some time after the others. The first meteor broke into three parts, which all travelled together. Then there were two pairs and the rest were single ones.

Two sounds were heard, not just like thunder, but like immense upheavals in the earth some miles away. The first was louder than the second, and in the interval between I had walked two (short) blocks.

Brunswick and College Sts.

H. G. MURRAY (University Student in Mathematics).

Course from N. W. by N. $(34^{\circ} \text{ W. of N.})$, but could not see the beginning for houses; centre of path, about 45° above western horizon; width of stream, about 3° ; color, golden yellow, like a sky-rocket but not so bright; a single body visible about 30 seconds. All had tails, which seemed to be lost as the bodies moved away, due to foreshortening. Duration, not greater than 5 minutes; no sound heard.

Queen's Park.

JOHN H. PARKER.

The first group seemed to number five. Then followed a group of three and after that four or five single ones. Heard a sound like distant thunder. The path seemed to be about 20° from the zenith.

Bloor St., near McMaster University.

N. S. ROBERTSON (University Student in Mathematics).

Beginning of display, 0.05 by watch. Duration, 1 minute or more. Saw small ones break off from larger ones. There were about 17 or 18 of them, 3 or 4 being seen at one time. There was usually a large mass followed hy smaller ones. The path in the sky subtended about $1\frac{14}{2}$ right angles. The elevation of the course of the meteors was about 55° above the southwest horizon, and on tracing the course on a city map it appeared to be from a point about 47° west of north.

Walter St. and Kingston Rd.

KENNETH SNYDER (age 12 years).

The meteors appeared to be a little west of overhead, travelling from northwest to southeast. 1 did not count them, but 1 judge there were twenty or more. They usually went in pairs, each pair being quite a distance behind the one next ahead of it. The whole phenomenon lasted about 3 minutes, each body being visible from 15 to 25 seconds. After the last ones had gone a dull sound like distant thunder was heard.

Near King and Jarvis Sts.

H. A. VAN WINCKEL

The position in the sky of the first one seemed very low, so low that at first 1 thought it was a rocket. The succeeding ones seemed much higher. 1 should judge there were 15 bodies, or a few more. Some were single and some went in twos and threes. The first appeared to be the largest and most brilliant of all; and the pl.enomenon lasted, I would say, between 3 and 5 minutes.

The bodies broke up without exception and left a tail behind as they went through the sky. 1 would not consider that any of them were visible for more than 30 seconds, with a possible exception of the first, which seemed larger and brighter than the others.

Queen's Park.

DR. W. M. WUNDER.

There were about 25 bodies in all, and the centre of the path was about 25° southwest from the zenith.

Bloor St., near Robert St.

A CORRESPONDENT.

The meteors were fairly high up in the sky, but at no time overhead. About 15 or 20 bodies seen; duration, 3 or 4 minutes. About 3 minutes after the display was over a noise like thunder was heard—not very loud, hut decidedly like thunder. The bodies remained intact. They had long tails and moved quite slowly. Some would be seen coming in the distance while others were disappearing. When all were gone two large stars with tails remained.

Poplar Plains Rd.

Mrs. Davis and Miss Florence Davis clearly observed the trembling

of the house and heard the noise, being especially impressed to the treebling.

Mr. J. C. Dempster (University student) and Rev. Professor Bowles of Victoria College also heard the sound and remarked it at the time

Trenton (94 miles, E. 18° N.).

J. T. MAN.

We eaught sight of a brilliant body in the western sky. At first glance 1 thought it a comet, of large proportions but of reddish e dor. We followed it, as it moved quickly in a southerly or south-southeaster's direction, for perhaps $1\frac{1}{2}$ minutes, as it was growing fainter in the south eastern sky. Meantime others of smaller size came into view—five or six, followed closely by others, not in a string, but in about the same order a horses or men in a race, to the number of about twenty, over the same course. Altitude, about 25°. Time of visibility of the metcors, about 4 to 6 minutes.

Trout Creek (Parry Sound, 158 miles, N. 2° E.).

REV. T. A MCCOMB.

I saw a cluster of brilliant stars, apparently 12 or 15, but no d ubt there were more than that, sailing along in the sky, going almost south probably a little southeast, followed by a train of light. Soon appeared a smaller cluster, not so brilliant, with a train of light: then another and another, each smaller and less brilliant; but all appeared to follow in the same course. They were on the western side of the town, low down towards the horizon.

In all there must have been 15 clusters, though the last ones appeared only as one star. The whole phenomenon lasted probably 3 or 4 minutes. No sound was heard.

The bodies remained intact and did not appear to move with great rapidity, but with steady horizontal motion. They remainded one of the motion of a railway train at night seen at a distance of 5 or 6 miles.

Udora (42 miles, N. 10° E.).

MRS. NORMAN HARVEY.

The meteors were seen in the west, about half-way to the zenith. They seemed to be going slowly from northwest to a little cast of south. The first set was the brightest; it seemed very low down, as if it might

C. A. Chant

drop at any time, and there were dozens in it, some large and some small. There was one very large one, and the others were of various sizes. After that they came in great number, following after the first, for about five minutes. No noise was heard.

Unionville (15 miles, N. 16° E.).

ARTHUR E. STIVER.

First there were 5 large ones, then 2 small ones, then 1 with a tail on it, then 7 more. A sound like thursder was heard. **Walzh** (80 miles, 8, 40° W.).

GRANT BINGLEMAN.

Time, about 9.10 p.m. They came from the northwest and went southeast. The first was a large meteor, which went apparently quite fast. When nearing the southeast it burst, leaving many small meteors in the sky. Then followed small meteors, about twelve in number; these had but short tails.

The display lasted about two minutes in all. The first large meteor butst shortly before it vanished; the others remained intact. I heard no noise. Each meteor remained in view only a few seconds.

Warsaw (84 miles, E. 40° N.).

MRS. DAVID MILLER.

The meteors were in a belt about 10° or less in width, and the lightest ones were about 35° or a little less above the horizon. About 20

FIG. 12.-- From a sketch by Mrs. David Miller, Warsaw. This does not represent the number but it shows the style of the bodies and their motion. They had long, narrow, straight tails; one leader; one at last. The leader and a few others bad disappeared before the last came in sight. They seemed to travel in a prescribed belt.

hodies; no sound heard. One seemed to me to stay in sight nearly two minutes, but this is uncertain.

They came along like a lot of fish distributed in a pond, straight and parallel. None had very big heads, and all had perfectly straight tails.

The first ones were quite white, the last ones very red. The last one seemed to be different, the head was a little larger and the tail seemed like a string of stars (Fig. 12).

Waterloo (58 miles, W. 11° S.).

E. D. CUNNINGHAM.

The first meteor seen was the largest. Its course was almost directly overhead, but a little to the east. It passed slowly across the heavens, dis appearing in the southeast, taking fully 10 seconds to cross. It had a tail probably 10° in length. The course seemed to be from 20° west of north to 20° east of south.

The first one was followed β_2 at β_3 as β_4 ity others, the ingajority being a little to the east of us, with a flow directly overhead, none to the west. Very few of these had any sig β_1 a tail, the majority being simply bright bodies. Many did not cross on dimensions, but disappeared when overhead.

The display lasted for about 2 minutes, from 1 to 5 meteors be, a constantly in view. After the meteors had disappeared fully 2 minutes elapsed before any musual sound was heard, and then we distinctly heard at intervals, a succession of explosions which could not be better described than by comparing them to the report of heavy git — heard from a distance

Wexford (10 miles, E. 41° N.).

HUGH DOHERTY.

I looked southwest, and it was just one long stream coming from a northwest direction. I noticed the stars shining through the long line of fire which was us ving along. We all heard the thunder; it fairly made the house shake, and we said there was another earthquake in Toronto.

Whitby (27 miles, E. 32° N.).

ALMOND RICHARDSON.

The first meteor was much the largest and powersed a much longer tail than the others. The rest of the collection were spread out on either side and behind the first, but all were going in the same direction and a, the same speed. They gradually got smaller towards the last, but all had tails, the first ones being about four times as long is the last. About 30 bodies in all and about one-third of them in view at one time. Duration, about 2 minutes; no sound heard. Winchester (222 miles, E. 27° N.),

REV. R. H. ARCHER,

I saw two meteors at 9.10 p.m., approximately. They looked to be about $^{1}_{4}$ mile in front of me, travelling in a southeast direction. The first I saw for about 15 seconds; the second, coming immediately after it. I saw for about half a minute. In that time it seemed to go about 159 yards. (This corresponds to an angular path of about 20°.) Estimated clevation about 15°.

PART II.

OTHER BRIGHT VETEORS SEEN WITHIN A FEW HOURS OF THE GREAT DISPLAY

Erampton.

MR. J. G. BEATTY, a University student, reported that at about 8.20 p.m. (Sunday), while watching the bright planet Venus, he saw a bright meteer moving quite slowly, approximately from northwest to southeast

Saranac Lake, N.Y.

F. W. O. WERRY, B.A.

Venus and the moon were low down in the west. Between 7.30 and 7.45 I was facing the west by north. I saw a shooting star start about 10° higher up than Venus and move rapidly along a horizontal line (or nearly so) for about 30° and towards the north. In a few minutes another meteor started in the same region and shot across the same part of the heavens, though not reaching more than half its length.

Peterborough.

WALTER PETERS (Meteorological observer) did not see the display, but a reliable man reported to him as follow : "I was out Sunday evening between 9 and 10. Suddenly I noticed the snow illuminated brightly. My tirs: thenght was that someone's chimney was on fire. On looking up I saw a large ball of fire moving westerly. At this time it was distinctly overhead. It had begun some distance east of the zenith, for some time elapsed before I looked upward. It proceeded directly westward. It had the appearance of a large rocket. The "head" was of considerable size. Behind it there were perhaps a dozen smaller balls of fire. The spectaele was aplendid. The ball did not go below the horizon. There was no explaision and no noise. It died ont naturally,"

Boblin (Lennux and Addington Co.).

GEO, H. BROOKS,

I had the good linck to observe the meteor. It was at 9.30 p.m., and appeared in the western sky, seeming to travel south or southwest and about 20' above the horizon as nearly as I could judge. There appeared to be an extra large ball ahead, then a dark space, followed by a long tail. The meteor did not appear very distinct to me, and for a short time disappeared. It was visible for fully half a minute.

Ann Arbor.

LEWIS L. MELLOR, of the Detroit Observatory, in *Popular Astronomy* for March:

On February 9, 1913, an exceedingly bright meteor was observed here at 10.15 p.m. C.S.T. It first appeared as a bright star in the neigh borhood of # Cassiopeia; its position was approximately, a Ob, a + 58°. It travelled in a path which if continued would have joined Saturn and 3 Cassiopeiæ, and a seemingly violent explosion occurred just before the Pleiades were reached. Simultaneously with the explosion came a flash of intense blue light, which was bright enough to illuminate the entire city of Ann Arbor for a fraction of a second. The disintegrated mass spread out into several humilred visible fragments, a few of which disappeared befow the horizon before being completely consumed. At the time of the meteor's disruption its co-ordinates were approximately, a 3h 30m, $\delta = \pm 17^{\circ}$. The minimum intensity greatly exceeded that of Venus, which is so conspicuous during the early evening; at the maximum the apparent size of the disc of the meteor appeared to be about one fourth that of the moon, but its surface brightness greatly exceeded that of our satellite, for it emitted an intense white light resembling the mag nesium flash.

The flight of the meteor occupied 5 or 6 seconds. Its continuous trail remained visible for the same length of time. As the meteor in creased in apparent speed its path became irregular, following a zig zag curve, and accompanying showers of sparks seem to indicate that it wa revolving very tapidly on its axis. The features were so disting, that 1 estimated its distance to be about 75 miles west of Ann Arbor, although 1 did not hear the report of the explosion; in all probability this may be due to the fact that the wind was blowing from the southeast at the rate of 12 miles an hour.

Arthur (Wellington Co.).

J. J. MORROW, M.D.

When returning from a sick call, about 1.15 a.m., Monday (Feb. 10), I was urprised to notice the whole heavens light up. The condition lasted for 3 or 4 seconds. I was driving in a westerly direction and the light appeared to flash out of the northern heavens. I did not see any meteors or hear any sound.

Perm (Dufferin Co.).

T. H. BANKS.

Time, 1.27 a.m. Monday, February 10th. A brilliant meteor in the north, travelling west. Body in sight about 12 seconds. When nearing the horizon it broke into many pieces, which died away in 2 or 3 seconds. Whole phenomenen lasted about 15 seconds. No sound heard.

Vittoria (Norfolk Co.).

JOSEPH A. MONTROSE.

When about four and one-half miles southwest of Vittoria, at about 1.30 a.m. (Monday) I saw a single meteor. It lasted about 3 seconds, in which time it lighted up the earth with a dazzling brightness lit was to the northward at an elevation of about 45°. It was travelling with a westward motion and coming down at an angle of about 53°, as nearly as I could guess. It had a long tail. I heard no sound.

Windsor.

GEO. A. DEANE.

The meteor 1 saw was a remarkable one. 1 have seen one or twometeors in a rather long life, but never before one like this. In size it appeared about that of the full moon, but it was not round in form, being a long oval. The accompanying sketch (Fig. 13) 1 made next morning.

It was descending (apparently) directly to the earth. At first glance I took it for a collapsed balloon, but only for the instant, as I at once recognized it as a meteor. I expected to hear in a few days of some damage it had done at no great distance from here.

The outline was very clear and distinct, with no "rays" or "nebula," such as usually attend a very distant bright light.

The time was exactly 1.23 a.m. (Monday). I looked at my watch, as I fully expected to hear more of it. It was in the north-northeast. It

did not appear to me like a swiftly *falling* body, but appeared to traveltoward the earth in a very slight enrye.

In color it was the red of the setting sun, denser at the lot on (large end), running to a yellowish flame color at the top. Time b dy was in sight, I should judge about 1½ seconds.

MR. F. P. GAVIN, M.A., Principal of the Collegiate Institute, reports as follows:

Mr. A. W. Brown, of Windsor, railroad man, on Sunday evening. February 9, was left as watchman on a wrecked train on the C P R (bout one mile west of North Newberry (just the other side of Bothwell).

Mr. Brown states that he was awake and observant all night and noticed the following: Some time about 9 o'clock he saw the largest meteor, bluish white, very bright, and travelling in a northeast to somth-



FIG. 13. - From a sketch by Mr. George A. Deane, Windsor, of the meteor seen by him at 1, 23 a.m., February 10th.

west direction. Again at about 2.20 a.m. be saw a series of meteors smaller than the one seen earlier, apparently fo⁰owing the same course, but visible somewhat longer, possibly 4 or 5 seconds each. There were about 18 or 20 of them and the whole display lasted about 20 minutes, sometimes several minutes elapsing between snecessive meteors. They appeared brightest about 70° to 80° above the horizon, and second to travel right down to the earth in the distance. Mr. Brown says he got the impression that they were heading towards Detroit from where he was stationed. This would give a west to sonthwesterly direction.

All the meteors seemed to have a stream behind them like a rocket, and brightened up the whole air. The large one in the early part of the evening was illuminating enough to attract the attention of one not watching. No sound was heard,

